The Best Manufacturing Company, Inc.

Revised Price List of Extras

Best Horse-Power and Steam Combined Harvesters

1913

SAN LEANDRO CALIFORNIA

Branch Office

WALLA WALLA, WASHINGTON

Introduction

In presenting this List of Extra Parts for Best Combined Harvesters we have aimed to make it convenient for our customers in ordering goods.

Great care has been taken in making up the prices contained herein, but the Company reserves the right to change any and all prices without notice.

The Best Manufacturing Co.

San Leandro, California

Branch Office and Warerooms
WALLA WALLA, Washington

May 15, 1913

Instructions for Ordering

FIRST—Always make up your order for **Extras** on a **Separate Sheet**. Do not include it in the body of your letter, for if so written the **Order may be overlooked.**

SECOND—Be sure to give the **Number** and **Kind** of machine the extras are to be used on.

THIRD—Note very carefully the **Number** or **Letter** on the casting you desire replaced and be sure to give the Number or Letter in your order. At the same time give a description of the part wanted.

FOURTH—**State plainly** your **Post Office** address; also the **Station, County** and **State** to which the goods are to be sent; and whether by **Express** or **Freight,** and via what route.

FIFTH—When manner of making shipment is not specified, all shipments will be forwarded by **Freight.**

SIXTH—**Prepay Freight** and **Express** Charges on all **Extras** returned to us for sample or **repairs, and put your name on the tag.**

SEVENTH—There are several sizes of many parts, including Drapers, Straw Carriers, Jackson Feeders, and Sticks for same, Separator Shoes, and Screens, Cleaner Screens, Shafting, etc.

When ordering such parts, be sure to give the dimensions and full description of part wanted, and state **Number** and **Size** of your machine.

EIGHTH—When ordering Extras, be careful to use the same **Numbers** and **Names** as are used in this **list;** thereby avoiding errors and delays.

NINTH—The Main Side of Machine is referred to as the **Left** Side.

Terms

To all customers in good standing, 60 days. Two per cent cash, 10 days. Interest will be charged after bills become due at the rate of one per cent per month.

Revised Price List for Extras

FOR

BEST COMBINED HARVESTERS

Destroy all Previous Lists

No.		Price Each	
1		$16 50	Gear, Internal, 77 Teeth.
1	B	10 00	Hub, Front Wheel, 1 1/8 inch Shaft.
1	S	2 00	Gear, Spur, 17 Teeth, 2 7/16 in bore, 2 1/4 in Face, Steam Harvester.
1 1/2		17 50	Gear, Internal, same as No. 1, only heavier.
1 1/2	B	2 00	Gear, Spur, 17 Teeth, 1 3/16, 1 5/16 or 2 7/16. (Give size of Bore when ordering.)
2		3 00	Pinion, 16 Teeth, 1 1/8, 3 1/2 inch Face.
2	A	50	Pitman Connection on Cleaner.
2	B	3 50	Box, Counter Shaft, 1 1/8.
2	S	3 50	Gear, Spur, 30 Teeth, 1 1/8, 2 1/4 inch Face, Steam Harvester.
2 1/4	B	1 25	Cap for No. 2 3/4 B, 1 1/8.
2 1/2		3 00	Pinion, 16 Teeth, 1 1/8, 2 3/8 inch Face.
2 1/2	A	50	Pitman Connection on Cleaner.
2 3/4	B	4 50	Box, Counter Shaft, 1 1/8.
2 1/2	B	2 00	Cap for No. 2 B.
3		5 00	Gear, 41 Teeth, 1 1/8, 2 3/4 inch Face.
3	B	4 00	Box, Combined Counter and Header Shaft, 1 1/8 and 1 5/16.
3	S	5 00	Box, Double, 1 1/8 and 2 7/16, Steam Harvester.
4		3 00	Pinion, 14 Teeth, 1 1/8, 3 1/4 inch Face.
4	B	5 00	Segment for Drive Wheel, 3 3/4 inch Face.
4	S	2 50	Box, Bracket, Steam Harvester, 1 5/16.
4 1/2		75	Cap for No. 3 B, 1 7/16.
5		5 00	Gear, 41 Teeth, 1 1/8, 2 3/4 inch Face.
5 1/2		6 00	Wheel, Header Truck, 22 inch Diameter, 1/4x2 1/2 inch Tire, 1 3/4 inch Rough Iron Bore.
5	B	3 00	Box, Counter Shaft, 1 1/8.
5	S	1 00	Cap for 4 S, 1 7/16.
5	W	10 50	Hub, 1 1/8.
6		50	Cleaner Pitman Connection, 1 5/16.
6	B	3 00	Gear, Bevel, 23 Teeth, 1 1/8, 2 1/4 inch Face.
6	S	2 50	Gear, Bevel, 16 Teeth, 1 1/8, 2 inch Face, Steam Harvester.
6 1/2		5 00	Gear, Clutch, 20 Teeth, 3 3/8, 2 3/4 inch Face.

No.		Price Each	
6½	S	2 50	Gear, Bevel, 20 Teeth, 1 11/16, 2 inch Face, Steam Harvester.
6¾	S	2 50	Gear, 16 Teeth, 1 3/16, 2 inch Face, Steam Harvester.
7		3 00	Pinion, Bevel, 34 Teeth, 1 11/16, 2 inch Face.
7	B	3 00	Pinion, Bevel, 14 Teeth, 1 3/16, 2⅛ inch Face.
7½		3 00	Gear, Bevel, 34 Teeth, 1 11/16, 2 inch Face.
7½	S	3 00	Cap for Box, No. 3 S, 2 7/16.
8		2 00	Pinion, Bevel, 1 3/16, 14 Teeth.
8	B	3 00	Pinion, Main and Grain Wheel, 12 Teeth, 1 15/16, 3½ inch Face.
8	S	2 50	Sprocket, 16 Teeth, 2 7/16, 62 Chain.
9		2 50	Concave Hanger.
9	B	1 25	Slide for Front Wheel Circle.
9	S	5 00	Box, Swivel, 2 7/16, Steam Harvester.
10		2 50	Hanger, Concave.
10	S	4 50	Box, Main Wheel, Steam Harvester.
10¼	B	17 50	Hub, Main Wheel, 16 inch Wheel.
10½	B	17 50	Hub, Main Wheel, 18 inch Wheel.
10⅝	B	20 00	Hub, Main Wheel, 20 inch Wheel.
10¾	B	20 00	Hub, Main Wheel, 22 inch Wheel.
10⅞	B	25 00	Hub, Main Wheel, 24 inch Wheel.
11		4 00	Box, Grain Wheel, 1 11/16.
11	B	4 00	Sprocket, 43 Teeth, 1 15/16, 52 Chain.
11	S	3 50	Box, Dump Hinge, 2 7/16, Steam Harvester.
11½		2 00	Cap for No. 11, 1 11/16.
11½	B	4 00	Sprocket, 44 Tooth, 1 15/16, 52 Chain.
12		1 75	Box, Bracket, 1 7/16 Shaft.
12	B	3 00	Box, Double, 1 3/16.
12	S	1 00	Pulley, Flange, 1 1/16, 4¾ inch Diameter, 1 15/16 inch Face.
12½		50	Cap for No. 12, 1 7/16 Shaft.
13		2 50	Box, Cylinder, 1 11/16.
13½		1 00	Cap for No. 13, 1 11/16 Shaft.
13	B	1 00	Box, Single, 1 3/16.
13	S	75	Pulley, Sheave.
14		2 50	Box, Main Wheel, 2 7/16 inch Shaft.
14½		2 00	Cap for No. 14, 2 7/16 Shaft.
14	B	7 50	Pulley, Cylinder, 1 11/16, 6 inch Diameter, 10½ inch Face.
14	S	2 00	Pulley, 1 1/16, 6 inch Diameter, 2 inch Face.
15	B	4 50	Pulley, 1 15/16, 8 inch Diameter, 2¼ inch Face.
16	B	5 00	Box, Main Wheel, 2 7/16, Outside Main Side.
16	S	1 50	Box, Tightener Bracket, 1 15/16 Shaft, Steam Harvester.
17	B	4 75	Box, Main Wheel, 2 7/16, Inside Main Side.

No.		Price Each	
17	S	75	Cap for No. 16 S, $\frac{15}{16}$ Shaft.
18		3 00	Clutch for Cylinder Pulley, $1\frac{11}{16}$.
18	B	5 00	Box, Main Wheel, $2\frac{7}{16}$, next to Separator.
19		3 50	Clutch, Main, on Main Wheel Shaft, $1\frac{15}{16}$ (male).
19½		5 00	Clutch, Main, on Main Wheel Shaft, $1\frac{15}{16}$ (female).
19½	B	5 00	Box, Main Wheel, $2\frac{7}{16}$.
19	A	1 50	Arm, Knuckle, on Header Drive Shaft, also on Portable Cleaner.
19	B	5 00	Box, Main Wheel, $2\frac{7}{16}$, next to Separator.
20	A	1 50	Arm, Knuckle, on Header Drive and Port Cleaner, $1\frac{5}{16}$.
20	B	3 00	Bracket, Cylinder Belt Tightener, $\frac{15}{16}$.
20	S	2 50	Bracket, Cylinder Belt Tightener, $\frac{13}{16}$.
21		1 00	Head, Beater (4 arm), 1 inch Rough Iron.
21	B	50	Cap for No. 20 B, $\frac{15}{16}$.
21	S	50	Cap for No. 20 S, $\frac{13}{16}$.
21¼		1 25	Head, Beater (4 arm), $\frac{15}{16}$ inch Shaft.
21½		50	Cap for No. 13 B—441 and 442, $1\frac{7}{16}$.
22		4 00	Head, End Cylinder, $1\frac{11}{16}$, 10 Bar Cylinder.
22	B	75	Slide for No. 20 B.
22	S	7 50	Brass, Crank Pin, for 2¾ inch Pin, Steam Harvester Engine.
23	S	2 00	One-half of No. 22 S.
23		1 75	Pulley, Flange, $\frac{11}{16}$, 5½ inch Diameter, 2¼ inch Face.
23	B	1 00	Box, Counter Shaft, $\frac{15}{16}$.
24		1 00	Hub, Reel, $1\frac{5}{16}$ inch Shaft.
24½		1 00	Box, $1\frac{5}{16}$ inch Shaft.
24	B	6 00	Pulley, Tightener, Cast Shaft, 5¾ inch Diameter, 10¼ inch Face.
25		1 50	Pulley, Flange, $\frac{11}{16}$, 4⅞ inch Diameter, 2 inch Face.
25	B	3 00	Sprocket, Double, 17 Teeth, $\frac{15}{16}$, 52 Chain.
26		7 00	Pulley, Cylinder, $1\frac{11}{16}$, 8 inch Diameter, 8 inch Face.
26	B	1 00	Box, Counter Shaft, for Header, $1\frac{5}{16}$.
27		8 00	Pulley, Cylinder, $1\frac{11}{16}$, 10 inch Diameter, 9 inch Face.
27	B	1 00	Cap for No. 26 B, $1\frac{5}{16}$.
28		2 50	Box, Main Counter Shaft, $1\frac{15}{16}$.
28	B	75	Box for Brake Roller, 1⅝.
28½		1 75	Cap for No. 28, $1\frac{15}{16}$.
28½	B	75	Box for Brake Roller, 1⅝.
29		1 75	Box, Counter, $1\frac{13}{16}$.
29	B	75	Box for Brake Roller, 1¾.

No.	Price Each	
29½	1 25	Cap for No. 29 and No. 176, 1 15/16.
30	5 00	Concave, Back, 30 inch.
30 B	75	Knuckle, V Roller, 1⅜.
30½	3 00	Concave, Blank, 30 inch.
31	3 50	Concave, Front, 30 inch.
31 B	1 00	Support, Hinge.
32	2 50	Middle Cylinder Head, 10 Bar.
32 B	7 00	Pulley, Cylinder, 1 11/16, 5½ inch Diameter, 10½ inch Face.
33	3 00	Disc, Sickle, with Pin, 1 3/16.
33 B	2 50	Pulley, 1 5/16, 8 inch Diameter, 2¼ inch Face.
34	1 00	Head, Drum, 1 inch Rough Iron.
35½	2 00	Bracket.
36	1 25	Guide Wheel Roller, 1 7/16.
37	25	Pin, Guide Wheel Roller.
38	1 00	Box, Concave Shaft, 1 inch Rough.
39	75	Crank, Sieve, 15/16.
41	3 25	Pulley, 15/16, 8¼ Diameter, 3⅜ inch Face.
42	3 50	Pulley, 15/16, 10 inch Diameter, 3¼ inch Face.
43	4 50	Pulley, 15/16, 12¼ inch Diameter, 5 inch Face.
45	3 00	Pulley, 15/16, 8¼ inch Diameter, 2¼ inch Face.
46	3 00	Pulley, 11/16, 8¼ inch Diameter, 2¼ inch Face.
47	2 00	Pulley, Flange, 11/16, 4⅜ inch Diameter, 2 inch Face, 11/16x3⅜ Pin cast in.
48	2 50	Pulley, 1 11/16, 6½ inch Diameter, 2¼ inch Face.
50	75	Box, Tightener, on Feeder Shaft, 11/16.
50¼	1 00	Box, Tightener, on Grain Carrier Shaft, 11/16.
50½	1 00	Box, Tightener, on Grain Carrier Shaft, 11/16.
52	1 00	Hub, Fan, 15/16.
52½	1 00	Hub, Fan, for Cleaner, 15/16.
53	75	Box, Flange, 15/16.
54	75	Box, Flange, 11/16.
55	75	Box, Flange, 11/16.
55 S	75	Box, Flange, 11/16.
55½	75	Box, Straw Carrier, 11/16, Right Hand.
56	75	Box, Straw Carrier, 11/16, Left Hand.
57	75	Box, Fan Shaft, 15/16.
57½	75	Cap for No. 57, 15/16.
58	1 75	Box, Header Counter, 1 5/16.
58½	1 00	Cap for No. 58, 1 5/16.

No.	Price Each	
59	3 25	Pulley, $\frac{15}{16}$, 10 inch Diameter, 2¼ inch Face.
60	2 50	Sprocket, 17 Teeth, $\frac{15}{16}$, 52 Chain.
61	1 00	Box, Elevator Flange, $\frac{11}{16}$, Lower End.
62	1 00	Hub, Agitator, $\frac{11}{16}$.
63	1 00	Crank, Shoe.
65	1 00	Gear, Bevel, 26 Teeth, $\frac{15}{16}$, $\frac{15}{16}$ Face.
66	2 75	Pully, $\frac{15}{16}$, 10 inch Diameter, 2¼ inch Face.
67	75	Hanger, Shoe, Right Hand.
67½	75	Hanger, Shoe, Left Hand.
68	1 00	Support, Header, Hinge.
69	75	Crank, Concave, $1\frac{1}{16}$ inch Rough Iron.
70	75	Box, Short Draper Counter, $\frac{15}{16}$.
71	75	Box, Short Draper Counter, $\frac{15}{16}$.
72	1 50	Box, Header Wheel, $1\frac{7}{16}$.
73	1 25	Box, Reel Shaft, $1\frac{15}{16}$.
73½	1 25	Box, Reel Shaft, $1\frac{15}{16}$.
75	3 75	Pulley, $\frac{15}{16}$, 14 inch Diameter, 3¼ inch Face.
76	4 25	Pulley, $1\frac{3}{16}$, 14 inch Diameter, 5¼ inch Face.
76½	5 25	Pulley, $1\frac{15}{16}$, 14¼ inch Diameter, 3½ inch Face.
77	1 50	Sprocket, Idler, 10 Teeth, $\frac{9}{16}$, 45 Chain.
77¼	1 50	Sprocket, Idler, 10 Teeth, $\frac{9}{16}$, 45 Chain.
77½	1 50	Spocket, Idler, 10 Teeth, $\frac{9}{16}$, 45 Chain.
77¾	1 50	Sprocket, Idler, 10 Teeth, $\frac{9}{16}$, 45 Chain.
78	5 00	Hub, Header Wheel, $1\frac{11}{16}$.
78½	5 00	Hub, Header Wheel, $1\frac{7}{16}$.
79	75	Box, Draper Tightener, $\frac{11}{16}$.
80	75	Box, Draper Tightener, $\frac{11}{16}$.
81	2 50	Sprocket, 17 Teeth, $1\frac{3}{16}$, 52 Chain; has Knuckle Jaw.
81½	2 50	Sprocket, 17 Teeth, $1\frac{3}{16}$, 52 Chain; has Knuckle Jaw.
82	2 00	Sprocket, 14 Teeth, $\frac{15}{16}$, 52 Chain.
83	2 50	Sprocket, 20 Teeth, $\frac{15}{16}$, 52 Chain.
84	1 00	Box, Bracket, $\frac{15}{16}$.
85	17 50	Pulley, 26 inch Diameter, 8½ inch Face.
85½	17 50	Pulley, 26 inch Diameter, 8½ inch Face.
86	75	Box, Flange, $\frac{15}{16}$.
87	2 00	Sprocket, 14 Teeth, $3\frac{3}{8}$, 52 Chain.
88	2 50	Sprocket, 20 Teeth, $\frac{11}{16}$, 52 Chain.
89	1 25	Pulley, Flange, $\frac{11}{16}$, 6 inch Diameter, 2 inch Face.
90	1 25	Socket, Lever, $1\frac{7}{16}$.

No.	Price Each	
91	1 25	Crank, Double Bell, $\frac{15}{16}$.
92	50	Cap for No. 91, $\frac{15}{16}$.
94	1 75	Sprocket, 12 Teeth, $1\frac{15}{16}$, 52 Chain.
95	50	Head, Draper Roller, $\frac{11}{16}$.
96	15	Button, Sickle.
98	1 50	Pulley, Flange, 5 inch Diameter, 2 inch Face.
100	1 50	Pulley, 5 inch Diameter, 2 inch Face.
101	1 00	Flange, Header Drum.
102	75	Box, Wing, $\frac{15}{16}$.
103	2 75	Pulley, Crank, $\frac{11}{16}$, 10¼ inch Diameter, 2¼ inch Face.
104	1 25	Box, Beater, $\frac{15}{16}$.
105	1 00	Box, Grain Carrier, $\frac{15}{16}$, Left Hand.
105½	1 00	Box, Grain Carrier, $\frac{15}{16}$, Right Hand.
106	75	Box, Flange, $\frac{9}{16}$.
107	75	Box, Flange, $\frac{15}{16}$.
108	1 50	Box, Header Counter, $1\frac{5}{16}$.
108½	1 00	Cap for No. 108, $1\frac{5}{16}$.
109	1 00	Box, Flange, $1\frac{3}{16}$.
110	2 25	Sprocket, Shoe Crank, 12 Teeth, $\frac{15}{16}$, 62 Chain.
110 S	2 25	Sprocket, Crank, 12 Teeth, $\frac{11}{16}$, 52 Chain.
111	1 00	Bracket, Tightener.
111¼	1 00	Bracket, Tightener.
111½	1 00	Bracket, Tightener.
112	1 25	Pulley, $\frac{9}{16}$, 3¼ inch Diameter, 2¼ inch Face.
113	2 00	Pulley, $\frac{11}{16}$, 6 inch Diameter, 1¾ inch Face.
114	2 00	Pulley, $\frac{15}{16}$, 8 inch Diameter, 3⅜ inch Face.
115	75	Guide, Sickle.
116	2 00	Sprocket 14 Teeth, $\frac{15}{16}$, 52 Chain.
117	1 75	Box, Bracket, $\frac{15}{16}$.
117½	75	Cap for No. 117, $\frac{15}{16}$.
120	50	Crank, Regulator, 17-32.
121	50	Hinge, Regulator, 17-32.
123	2 75	Sprocket, 18 Teeth, $1\frac{9}{16}$, 52 Chain.
123½	2 75	Sprocket, 18 Teeth, $1\frac{15}{16}$, 52 Chain.
124	2 75	Sprocket, 24 Teeth, $\frac{15}{16}$, 52 Chain.
125	50	Shaker, Agitator, $\frac{11}{16}$.
126	50	Shaker, Agitator.
127½	75	Bracket, Brake Roller, 1⅜.
128	3 25	Pulley, $\frac{11}{16}$, 12 inch Diameter, 2¼ inch Face.
129	75	Bracket, Tightener.
130	1 25	Box, Cleaner, Three Bearing, $\frac{15}{16}$.
131	75	Cap for 130, $\frac{15}{16}$.
132	75	Cap for 130, $\frac{15}{16}$.
133	75	Cap, Cleaner Fan Box, for No. 133½, $\frac{15}{16}$.
133½	75	Box, Cleaner Fan, $\frac{15}{16}$.

No.	Price Each	
134	75	Crank, Long Shaker, for Cleaner, $\frac{15}{16}$.
135	75	Crank, Short Shaker, for Cleaner, $\frac{15}{16}$.
136	75	Pin, Wrist, for Cleaner Shake, $\frac{15}{16}$.
137	50	Link, Shaker.
138	50	Box, Step, $\frac{13}{16}$.
139	50	Shaker, Connection.
140	50	Box, Pitman, $\frac{11}{16}$.
141	50	Bracket, Shoe Shaker.
142	25	Connection, Shoe Shaker.
143	1 00	Gear, Spur, 13 Teeth, $\frac{15}{16}$, 1¼ inch Face.
144	1 50	Gear, Spur, with Crank Pin, 20 Teeth, $\frac{15}{16}$, $1\frac{3}{16}$ Face.
144½	1 25	Gear, Spur, 20 Teeth, $\frac{15}{16}$, without Pin, $1\frac{3}{16}$ Face.
145	50	Hinge, Feed Gate.
146	50	Crank, Feed Gate, $\frac{11}{16}$.
147	50	Pin, Screen, ¾.
148	50	Pin, Sway Back, $\frac{13}{16}$.
149	50	Casting, Screen Shaker.
151	50	Bracket, Gate.
152	1 50	Disc, Shaker Crank.
153	2 50	Pulley, $\frac{15}{16}$, 7 inch Diameter, 3¼ inch Face.
154	2 50	Box, Main Counter, $1\frac{15}{16}$.
155	2 00	Plate, Main Counter Box.
155½	2 00	Plate, Main Counter Box.
156	2 50	Box, Grain Wheel, $1\frac{15}{16}$.
157	2 00	Plate, Box.
158	1 25	Flange, Header Drum, $\frac{15}{16}$.
159	4 50	Box, Main Wheel, $2\frac{7}{16}$.
161	2 00	Box, Grain Wheel Counter, $1\frac{15}{16}$.
161½	1 00	Cap for No. 161, $1\frac{15}{16}$.
162	1 50	Pulley, Flange, $\frac{11}{16}$, 5 inch Diameter, 2¼ inch Face.
163	1 75	Hinge Header.
164	1 75	Hinge, Header.
164½	1 75	Hinge, Header.
165	1 75	Hinge, Header.
165½	2 00	Hinge, Header.
166	3 00	Hinge, Header.
166½	3 00	Hinge, Header.
168	2 50	Pulley, 12x2¼ inch, $\frac{15}{16}$.
169	1 00	Cap, Reel Counter Box, $\frac{15}{16}$.
169½	1 00	Box, Reel Counter, $\frac{15}{16}$.
171	2 75	Sprocket, 24 Teeth, $1\frac{15}{16}$, 52 Chain.
171½	2 75	Sprocket, 24 Teeth, $2\frac{7}{16}$, 52 Chain.
172	50	Band, Sand.
173	2 50	Sprocket, Double, 14 Teeth, $\frac{15}{16}$, 52 Chain.

No.	Price Each	
173¼	2 00	Sprocket, Male Clutch, 14 Teeth, 1⅛, 52 Chain.
173½	2 00	Sprocket, Female Clutch, 14 Teeth, 1⅛, 52 Chain.
174	50	Box, Header Spout, 1⅛.
175	2 00	Box, Double, 1⅛.
176	2 00	Box, Double, 1⅛.
177	1 75	Box, Counter, 1⅛.
178	2 75	Box, Counter, 1⅛.
180	8 00	Gear, Bevel, Clutch, 1⅛, 2½ Face, 35 Teeth.
181	2 00	Pinion, 1 5/16, 2½ Face, 14 Teeth.
182	5 00	Clutch, Male, 1⅛.
182½	4 50	Clutch, Female, 1⅛.
183	4 50	Head, End, Cylinder, 12 Bar, 1⅛.
184	50	Cap, Pitman.
186	5 50	Concave, Front, 44 inch Separator.
187	4 75	Concave, Middle, 44 inch Separator.
188	4 75	Concave, 44 inch Separator.
189	4 75	Concave, 44 inch Separator.
190	1 75	Sprocket, Clutch, 12 Teeth, 1⅛, 52 Chain.
190½	1 75	Sprocket, Clutch, 12 Teeth, 1⅛, 52 Chain.
191	1 75	Sprocket, 12 Teeth, 1⅛, 52 Chain.
192	2 50	Sprocket, Clutch, 17 Teeth, 1⅛, 52 Chain.
192½	2 50	Sprocket, Clutch, 17 Teeth, 1⅛, 52 Chain.
193	1 25	Hub, Reel, 8 Arms, 1 5/16.
193¼	1 00	Clutch, Reel Hub, 1 5/16.
193½	1 25	Hub, Reel, 1 5/16.
194	1 50	Hinge, Header.
195	50	Hinge, Dump.
197	1 00	Box, Feeder, 1⅛.
198	50	Bracket, Header Spout.
199	1 00	Box, V Roller, 1 7/16.
200	1 00	Box, Sickle Crank, 1 5/16.
201	75	Cap for same, 1 5/16.
202	50	Brace Top Casting, 1⅛.
203	50	Brace Top Casting, 1⅛.
204	50	Bracket, Cleaner Leg.
205	25	Cap, Cylinder.
206	50	Bracket, Corner.
207	25	Bracket, Shoe, Left Hand.
208	25	Bracket, Shoe, Right Hand.
209	25	Bracket, Shoe Shaker.
210	25	Catch, Gate.
211	50	Bracket, Cleaner Leg.
212	25	Catch, Wind Board.
213	50	Bracket, Cleaner Leg.
214	1 00	Sprocket, 6 Teeth, 1⅛, 45 Chain.

No.	Price Each	
215	1 25	Sprocket, 8 Teeth, $\frac{15}{16}$, 45 Chain.
215½	1 25	Sprocket, 8 Teeth, $\frac{15}{16}$, 45 Chain.
216	1 75	Pulley, Flange, $\frac{11}{16}$, 5 inch Diameter, 2¼ Face.
217	1 75	Sprocket, 12 Teeth, $\frac{11}{16}$, 52 Chain.
218	50	Bracket, Tightener, for Reel Box, $1\frac{11}{16}$.
219	1 25	Box, Reel, $1\frac{11}{16}$.
219½	1 25	Box, Reel, $1\frac{11}{16}$.
220	1 25	Hub, Reel, $1\frac{11}{16}$.
220½	1 25	Hub, Reel, with Clutch, $1\frac{11}{16}$.
221	75	Clutch for Reel Hub, $1\frac{11}{16}$.
222	50	Bracket, Tightener.
223	75	Hinge, Dump, one car.
224	75	Hinge, Dump, two cars.
225	1 00	Bracket, Tightener, $1\frac{15}{16}$.
226	75	Cap for No. 225, $1\frac{15}{16}$.
227	1 00	Box, Conveyor Shaft, $1\frac{5}{16}$.
228	75	Box, Take-up, Return Elevator, right side, $\frac{11}{16}$.
229	50	Slide, Take up, Return Elevator.
230	75	Box, Take-up, Return Elevator, left side, $\frac{11}{16}$.
231	1 50	Sprocket, 9 Teeth, $1\frac{5}{16}$, 45 Chain.
232	1 50	Sprocket, 9 Teeth, $\frac{11}{16}$, 45 Chain.
233	75	Box, Conveyor Shaft, $1\frac{5}{16}$.
234	75	Box, Cleaner Counter, $\frac{13}{16}$.
235	50	Cap for No. 234, $\frac{13}{16}$.
236	1 00	Sprocket, 6 Teeth, $\frac{13}{16}$, 45 Chain.
237	1 00	Sprocket, 6 Teeth, $\frac{13}{16}$, 45 Chain.
238	25	Slide, Screen.
239	25	Slide, Screen.
240	25	Sack Hook Casting.
241	25	Sack Hook Casting.
242	25	Sack Hook Casting.
243	2 75	Pulley, 10x3¼ inch, $\frac{15}{16}$.
244	40 00	Pulley, Jack, Wrought Rim, 51x10 inch.
246	2 50	Rod, Connecting with Wrist Pin.
247	3 50	Box, Main Shaft, $1\frac{15}{16}$.
248	1 50	Cap for No. 247 $1\frac{15}{16}$.
249	25	Cover, Oil Cup.
250	75	Cap, Counter Shaft Box, takes place of No. 4½.
251	1 25	Box, Beater, $\frac{15}{16}$.
252	75	Box, Conveyor, on Cleaner, $1\frac{5}{16}$.
253	1 25	Pulley, 4x2¼ inch, $1\frac{5}{16}$.
254	1 25	Pulley, 4x2¼ inch, $\frac{15}{16}$.
255	1 25	Pulley, 4x2¼ inch, $\frac{13}{16}$.
256	4 00	Box, Cylinder, $2\frac{15}{16}$.
257	2 00	Cap for No. 256. $2\frac{15}{16}$.

No.	Each Price	
261	2 50	Pulley, 8x2¼ inch, 1 1/16, with Pin Riveted.
263	2 50	Hinge, Front Header.
264	3 00	Hinge, Header.
265	1 50	Hinge, Header.
266	50	Spool on Harvester Pin, 1 3/16.
267	1 50	Hinge, Header.
268	1 25	Hinge, Header.
270	6 00	Head, End Cylinder, 1 5/8, 10 Bar.
271	3 50	Head, Middle Cylinder, 10 Bar.
272	4 75	Concave, Back, 38 inch.
273	3 50	Concave, Blank, 38 inch.
274	4 75	Concave, Front, 38 inch.
275	75	Cap, Small Fan Box, 1 5/8.
276	50	Box, Small Fan, 1 5/8.
277	75	Guide for Sickle Bar.
280	6 00	Bracket, Tightener, for Cylinder Belt, 1 5/8.
281	50	Cap for No. 280, 1 5/8.
282	3 00	Box, Main Wheel, 2 7/16.
283	1 00	Tightener, Chain.
284	75	Tightener, Chain.
285	75	Bracket, Roller Box.
286	1 75	Sprocket, 11 Teeth, 1 5/8, 52 Chain.
287	2 50	Pulley, Cylinder Picker, 6¼ inch Diameter, 1 1/8, 2⅛ inch Face.
288	1 75	Sprocket, 12 Teeth, 1 5/8, 52 Chain.
289	2 50	Sprocket, 20 Teeth, 1 5/8, 52 Chain.
290	1 25	Sprocket, 7 Teeth, 1 1/8, 52 Chain.
291	7 50	Pulley, 14x5¼ inch, 1 5/8.
292	10 00	Hub, Outside Wheel, for Header, 1 15/16, 10 inch Tire.
293	17 50	Hub, Inside Wheel for Header, 1 15/16, 20 inch Tire.
294	1 50	Box for Sickle Shaft, 1 3/16.
295	15 00	Joint, Slip, for 1½ inch Steam Pipe.
296	2 50	Gland for No. 295.
297	1 50	Step for No. 295.
298	5 00	Pulley, 10 inch, 1 5/8, 9 inch Face.
299	1 50	Pulley, 4x2¼ inch, 1 1/8.
300	1 25	Sprocket, 8 Teeth, 1 5/8, 52 Chain.
301	4 50	Box, Dump Wheel, 2 7/16.
302	1 50	Guide for Header Lever Post.
303	50	Top Section of Rack on Post.
304	50	Bottom Section of Rack on Post.
305	3 25	Pulley, 6½x5¼ inch, 1 5/8.
306	1 50	Hinge, Header, Rear End.
307	50	Pulley, Flange, for Chain Tightener, 4 inch in Diameter, 2 inch Face.

No.	Price Each	
308	1 50	Lever, Clutch, for Draper.
309	75	Guide, Sickle, for Long Guards.
310	2 50	Sprocket, 15 Teeth, 2 7/16, 52 Chain.
311	7 50	Pulley, 8 inch Diameter, 9¾ inch Face.
312	2 75	Hinge, Header, on Harvester.
313	3 50	Box, Main Wheel, 2 7/16, left hand side.
314	5 00	Box, Double, 2 7/16, for outer end Engine Crank.
315	3 00	Box, Double, for Harvester, 1 3/16, and 1 1/16.
316	2 00	Box, 1 1/16.
317	1 75	Box, 1 3/16.
318	1 00	Cap for No. 315 and No. 316.
319	1 50	Cap for No. 314 and No. 317, 1 3/16 and 2 7/16.
320	75	Box, Bracket.
321	4 75	Gear, Spur, 24 Teeth, 1 11/16, 2¼ Face.
322	75	Box, Roller, 1 1/16.
323	75	Box, Conveyor, 1 5/16.
324	3 50	Pulley, Governor, 2 7/16, 3¼ inch Diameter, 1¼ Face.
325	1 25	Sprocket, 8 Teeth, 1 5/16, 52 Chain.
326	2 50	Sprocket 17 Teeth, 1 3/16, 52 Chain.
327	2 75	Sprocket, 18 Teeth, 1 1/16, 52 Chain.
328	5 50	Pulley, 12 inch Diameter, 5 inch Face, 1 3/16.
329	4 00	Hook, Header Hinge, to take 1 3/16 inch Shaft.
330	75	Box, Flange, for Straw Stacker, 1 1/16.
331	3 50	Pulley, Governor, 2 1/16.
332	2 00	Box, Sickle Crank Shaft, 1 7/16.
333	2 00	Box, Crank Shaft, on Header, 1 5/16.
334	1 00	Cap for No. 333.
335	1 50	Box, Bracket, for Header, 1 3/16.
336	75	Guide, Side Chain.
337	1 50	Arm, Knuckle, 1 Sq. Hole.
338	1 25	Jaw, Knuckle, 1 1/16.
339	1 00	Ring for Knuckle.
340	75	Ring for Knuckle.
341	75	Ring for Knuckle, plain.
342	6 50	Box, Double, Counter and Header Shaft, 1 5/16 and 1 1/16.
343	1 75	Sprocket, 8 Teeth, 1 3/16, Long Hub, with Clutch.
344	1 50	Sprocket, 8 Teeth, 1 3/16, Short Hub with Clutch.
345	3 50	Box, Main Wheel, 2 7/16.
345½	3 50	Box, Main Wheel, Solid, 2 7/16,. ¾ inch shorter than No. 345.
346	3 50	Box, Main Wheel, Solid, 2 7/16. 8½x7 Aux. Har. Ergine.

No.	Price Each	
348	7 50	Head, Cylinder, 8½x7 Aux. Har. Engine.
349	3 50	Cap, 2 15/16.
352	17 50	Piston, 8½ Dia., 8½x7 Aux. Har. Engine.
353	15 00	Valve, 4 inch Balanced, 8½7 Aux. Har. Engine.
354	8 00	Head, Cross, 8½x7 Aux. Har. Engine.
355	9 00	Head, Cylinder, Front, 8½x7 Aux. Har. Engine.
356	8 00	Cover, Valve Chamber, Front, 8½x7 Aux. Har. Engine.
357	2 00	Cover, Valve Chamber, Back, 8½x7 Aux. Har. Engine.
358	1 00	Box, Grain Carrier, left hand, 1 3/16.
359	1 00	Box, Grain Carrier, right hand, 1 3/16.
360	7 50	Head, Cylinder, End.
361	4 50	Head, Cylinder, Middle.
364	1 25	Hub, Fan, 1 3/16.
365	1 00	Box, Fan, 1 3/16.
366	1 00	Cap, for No. 365, 1 3/16.
367	1 00	Box, Fan, 1 3/16.
368	1 00	Cap, for No. 367, 1 3/16.
369	1 00	Sprocket, 6 Teeth, 1 1/16, 45 Chain.
370	12 00	Pulley, Cylinder, 12x10¼ inch, 1 15/16.
371	1 75	Sprocket, 11 Teeth, 1 3/16, 52 Chain. (Takes place of No. 286.)
372	75	Slide, Tightener Box.
373	75	Box, Tightener, right hand, 1 1/16.
374	75	Box, Tightener, left hand, 1 1/16.
375	75	Slide, Grain Elevator Tightener Box.
376	75	Box, Grain Elevator Tightener, right hand, 1 5/16.
377	75	Box, Grain Elevator Tightener, left hand, 1 5/16.
379	1 50	Pulley, Straw Carrier, 1 3/16, 6x1½.
380	2 50	Pulley, Governor, 2 15/16, 4x1½.
381	2 50	Sprocket, 16 Teeth, 2 15/16, 52 Chain.
382	25	Iron, Brace, right.
383	25	Iron, Brace, left.
384	25	Iron, Brace, right.
385	25	Iron, Brace, left.
386	1 75	Sprocket, 11 Teeth, 1 3/16, 62 Chain.
387	5 00	Eccentric, 2 15/16, 8½x7 Aux. Har. Engine.
387½	5 00	Eccentric, 2 7/16, 7x7 Aux. Har. Engine.
388	5 00	Strap, Eccentric, 8½x7 Aux. Har. Engine.
388½	5 00	Strap, Eccentric, 7x7 Aux. Har. Engine.
389	2 50	Sprocket, 17 Teeth, 1 3/16, 52 Chain. (Takes place of No. 60.)

No.	Price Each	
390	1 50	Sprocket, 9 Teeth, 1 3/16, 52 chain. Upper Beater.
391	2 25	Sprocket, 12 Teeth, 1 1/16, complete with Pin. (Takes place of 110 S.) Extension Straw Carrier.
392	2 75	Sprocket, 18 Teeth, 1 3/16, 62 Chain.
393	2 75	Sprocket, 24 Teeth, 1 3/16, 52 Chain.
394	1 75	Sprocket, 12 Teeth, 1 3/16 52 Chain.
395	2 50	Shaft, Pinion Crank, 17 Teeth, 2 15/16, 3 inch Face.
396	4 75	Pulley, 14x3¼ inch, 1 3/16.
397	1 50	Sprocket, 9 Teeth, 1 5/16, 45 Chain.
398	3 00	Pulley, 10x3¼ inch, 1 5/16. (Takes place of No. 243.)
399	1 00	Hinge, Sack Dump, Male.
400	1 00	Hinge, Sack Dump, Female.
401	4 75	Gear, 30 Teeth, 1 1/16, 2¼ Face.
402	3 50	Hinge, Header.
403	12 50	Pulley, Cylinder, 10x10 inch, 1 15/16, Steam Harvester.
404	2 50	Pulley, 5½x2¼ inch, 1 5/16.
405	1 50	Box, 1 1/16, Steam Harvester.
406	75	Cap for No. 405, Steam Harvester.
407	5 00	Bracket, Belt Tightener, 1 3/8, Steam Harvester.
408	50	Cap for No. 407, 1 5/8, Steam Harvester.
409	50	Hinge, Tightener, 2 ears, Steam Harvester.
410	25	Hinge, Tightener, 1 ear, Steam Harvester.
411	2 75	Ball Joint, Lower Half (brass), Steam Harvester.
412	7 50	Ball Joint, Upper Half (brass), Steam Harvester.
413	2 75	Flange for same (brass), Steam Harvester.
414	2 00	Nut for Packing Gland on Ball Joint (brass), Steam Harvester.
		411, 412, 413 and 414 complete, $18.00.
415	2 50	Sprocket, 15 Teeth, 1 3/16, 62 Chain.
416	1 75	Box, Header Counter Shaft, 1 7/16, Steam Harvester.
417	1 00	Cap for 416, Steam Harvester.
418	2 00	Gear, Miter, 16 Teeth, 1 1/16, 2 inch Face, Steam Harvester.
419	2 00	Gear, Miter, 16 Teeth, 1 5/16, 2 inch Face, Steam Harvester.
420	1 25	Sprocket, 8 Teeth, 1 3/8, 52 Chain.
421	1 50	Sprocket, 8 Teeth, 1 3/16, 62 Chain.
424	4 50	Bracket, Corner, for Frame of Harvester.

No.	Price Each	
425	2 50	Gear, Bevel, 23 Teeth, 1 5/16, takes place of No. 6 B; 2 1/8 Face.
426	2 00	Pinion, Bevel, 14 Teeth, 1 5/16, takes place of No. 7 B; 2 1/8 Face.
427	2 00	Sprocket, 12 Teeth, 1 5/16, 62 Chain.
427½	25	Flange for No. 427.
428	2 25	Sprocket, 12 Teeth, 1 3/16, 62 Chain.
428½	25	Flange, No. 428.
432	1 25	Sprocket, 7 Teeth, 1 3/16, 52 Chain, Steam Harvester.
433	3 00	Sprocket, 28 Teeth, 1 3/16, 52 Chain, Steam Harvester.
433½	3 50	Sprocket, 28 Teeth, 1 3/16, 52 Chain, with Crank Pin Riveted.
434	1 00	Box, Brake Roller, right hand.
435	1 00	Box, Brake Roller, left hand.
436	1 00	Box, Brake Roller, 1¾.
437	1 50	Sprocket, 9 Teeth, 1 3/16, 52 Chain.
438	2 00	Sprocket, 15 Teeth, 1 3/16, 52 Chain.
439	2 00	Sprocket, Clutch, 14 Teeth, 1 3/16, 52 Chain.
440	2 00	Sprocket, Clutch, 14 Teeth, 1 3/16, 52 Chain.
441	1 25	Box, 1 3/16.
442	1 25	Box for Header, 1 7/16.
443	1 25	Sprocket, 8 Teeth, 1 5/16, 52 Chain.
444	1 25	Sprocket, 7 Teeth, 1 1/16, 52 Chain.
445	1 00	Bracket, Tightener, on Header.
446	1 00	Pulley, Flange, 2¾x3¼.
449	4 00	Box, Brass, for Aux. Engine, 2¼ inch Bearing, 1 5/8 inch Pin, goes on Connecting Rod on Piston End.
450	1 50	Cap, Brass, for No. 449.
451	1 25	Sprocket, Fan, 7 Teeth, 1 5/16, 52 Chain, Steam Harvester.
452	1 75	Pulley, Flange, 5½x2¼, 1 1/16.
453	50	Box, Flange, Shaker Board, 1 3/16.
455	75	Box, Tightener, Grain Carrier, right hand, with rod, 1 1/16.
456	75	Box, Tightener, Grain Carrier, left hand, with rod, 1 1/16.
457	20 00	Hub, Grain Wheel.
458	75	Box, Grain Carrier, 1 5/16, right hand.
459	75	Box, Grain Carrier, 1 5/16, left hand.
460	1 25	Sprocket, 6 Teeth, 1 1/16, 52 Chain.
461	2 00	Pulley, Flange, 6x1½, 1 5/16.
462	7 50	Pulley, Cylinder, 6x10 inch, 1 1/16.
463	10 50	Pin, Brass Crank, 2 1/16, 8½x7 Aux. Engine.

No.	Price Each	
464	17 50	Hub for Header Wheel, 24 inch Bearing, Disc 13¼ inch on inside, 15¼ inch on outside, for 13 spokes.
465	7 00	Box, Double, for Engine Gear, 2 15/16 and 1 11/16, Steam Harvester.
466	2 50	Cap for No. 465, Steam Harvester.
467	1 25	Cap for No. 465, 1 11/16, Steam Harvester.
468	1 00	Box, Grain Carrier, left hand, 1 3/16.
469	1 00	Box, Grain Carrier, right hand, 1 3/16.
474	1 75	Box, 1 11/16, Steam Harvester.
475	75	Cap for No. 474, 1 11/16, Steam Harvester.
476	1 75	Box, 1 11/16, Steam Harvester.
477	1 00	Cap for No. 476, 1 11/16, Steam Harvester.
478	1 75	Box, 1 11/16, Steam Harvester.
479	1 00	Cap for No. 478, 1 11/16.
487	1 25	Sprocket, 8 Teeth, 1 11/16, 52 Chain.
488	1 50	Sprocket, 10 Teeth, 1 11/16, 52 Chain; takes place of No. 217 and No. 487 on Shoe Drag.
489	1 75	Sprocket, 14 Teeth, 1 15/16, 45 Chain.
491	1 75	Pulley, 5½x2 inch, 1 3/16.
492	1 25	Box, Bevel Gear Shaft, 1 7/16.
493	1 75	Arm, Shake, for Finger Back of Drag Shoe, 1 15/16.
494	1 50	Sprocket, 9 Teeth, 1 15/16, 52 Chain.
495	17 50	Gear, Internal and External, 40 and 58 Teeth, 1 15/16, 3¼ inch Face inside, 2½ inch Face outside.
496	3 75	Pinion, Internal Gear, 13 Teeth, 3 inch Face, 1 15/16.
497	4 00	Pinion, External Gear, 17 Teeth, 2½ inch Face, 1 3/16.
498	5 00	Pinion, Main Wheel, 16 Teeth, 3½ inch Face, 1 15/16.
499	1 50	Arm, Main Shoe Shake.
500	3 00	Sprocket, 20 Teeth, Lower Grain Carrier, 1 3/16, 62 Chain.
501	7 50	Box, Double, Jack Shaft, 1 15/16.
502	2 00	Cap for No. 503.
503	8 50	Box, Triple, Jack and Counter Shaft, two 1 15/16 and one 1 3/16.
504	1 00	Cap for No. 503, 1 3/16.
505	1 00	Sprocket, 6 Teeth, 1 15/16, 45 Chain.
506	1 00	Box, Tightener, Grain Drag, right hand, 1 15/16.
507	1 00	Box, Tightener, Grain Drag, left hand, 1 15/16.
508	75	Guide for Nos. 506 and 507.
509	2 00	Sprocket, 13 Teeth, 1 3/16, 62 Chain, Steam Harvester.

No.	Price Each	
510	2 00	Sprocket, 12 Teeth, 1 3/16, 62 Chain.
511	3 50	Sprocket, Crank, 40 Teeth, 1 3/16, 52 Chain.
512	20 00	Hub, Extra Heavy, for 20 inch Tire.
513	22 50	Hub, Extra Heavy, for 22 inch Tire.
514	1 75	Sprocket, 12 Teeth, Grain Carrier Counter, 1 5/16, 52 Chain.
515	1 75	Sprocket, 12 Teeth, 1 3/16, 52 Chain, Steam Harvester.
516	1 25	Sprocket, 8 Teeth, 1 3/16, 52 Chain, Steam Harvester.
517	1 25	Sprocket, 8 Teeth, 1 5/16, 52 Chain, Steam Harvester.
518	2 50	Cap for No. 501, 1 1/16.
519	50	Picker, Nail, 1 5/16.
520	2 25	Sprocket, Crank, 12 Teeth, 1 3/16, 1 5/16 inch Pin, 52 Chain.
521	2 75	Sprocket, 18 Teeth, 1 1/16, 52 Chain.
522	2 50	Shaker, Shoe, with Cap, complete.
523	1 00	Casting, Shoe Frame, right hand.
524	1 00	Casting, Shoe Frame, left hand.
525	50	Bracket, Tightener, for Hanger on Cylinder Belt Tightener, right hand.
526	50	Bracket, for Hanger on Cylinder Belt Tightener, left hand.
527	12 50	Pulley, Cylinder, 8x10½, 1 1/16.
528	2 75	Sprocket, 17 Teeth, 1 3/16, 52 Chain.
529	2 75	Sprocket, 22 Teeth, 1 5/16, 52 Chain.
530	50	Shoe, Bracket, rear end.
531	1 25	Sprocket, 7 Teeth, 1 1/16, 52 Chain. Takes place of No. 444.
532	3 00	Sprocket, 10 Teeth, 1 3/16, 77 Chain.
532½	50	Flange for No. 532.
533	3 00	Sprocket, 10 Teeth, 1 5/16, 77 Chain.
533½	50	Flange for No. 533.
534	1 00	Box, Flange, 1 5/16.
535	1 75	Sprocket, 13 Teeth, 1 5/16, 52 Chain.
536	1 75	Sprocket, 8 Teeth, 1 5/16, 52 Chain.
536½	50	Flange for No. 536.
537	1 50	Box, Pitman, Sickle Bar, 1 3/16.
538	75	Cap for No. 537, 1 3/16.
539	3 25	Sprocket, Crank, 24 Teeth, 1 5/16, 52 Chain.
540	75	Guide, Sickle. Takes place of No. 277.
541	2 75	Sprocket 17 Teeth, 1 1/16, 52 Chain.
542	1 50	Sprocket, 10 Teetth, 1 5/16, 52 Chain.
543	2 75	Sprocket, 19 Teeth, 1 3/16, 52 Chain.
544	4 00	Sprocket, 14 Teeth, 1 3/16, 77 Chain.
545	2 50	Sprocket, 8 Teeth, 1 3/16, 77 Chain.

No.	Price Each	
546	17 50	Sprocket, 38 Teeth, 1 3/16, 77 Chain, Steam Harvester.
547	1 50	Sprocket, 8 Teeth, 1 3/16, 62 Chain, Steam Harvester.
548	1 00	Box, Flange, Cleaner Elevator, 1 5/16.
549	12 50	Pulley, Cylinder, 7½x10½ inches, 1 1/16. Takes place of No. 527.
550	7 50	Rack, 47 Teeth, right and left for raising and lowering Side-Hill Machines.
551	3 50	Hinge, Rack No. 550.
552	2 50	Worm, 1 3/16, Side-Hil Machines.
553	4 00	Box, Double, Jack Shaft, 1 1/16 and 2¼, Side-Hill Machines.
554	3 00	Cap No. 553.
555	3 00	Box, Jack Shaft, 1 1/16, Side-Hill Machines.
556	2 50	Cap. No. 555.
557	1 50	Box, Solid, Worm Gear Shaft, 1 7/16, Side-Hill Machines.
558	10 00	Gear, Worm, 42 Teeth, 1 7/16.
559	2 00	Box, Solid, Worm Pinion Shaft, 1 3/16, Side-Hill Machines.
560	3 00	Clutch, Double, raises and lowers Side-Hill Machines, 1 3/16.
561	6 00	Hook, Header, Box Attached, 1 5/16, Side-Hill Machines.
562	3 00	Pinion, 11 Teeth, 1 7/16, 3 inch Face, raises and lowers Side-Hill Machines.
563	5 00	Box, Wheel, inside timber, Cleaner Side, 2 7/16.
564	50	Bracket, Shoe Hanger, rear end, 1 1/16 inch Pin.
565	50	Casting, Bracket, to support Strap Iron Hanger on Shoe.
566	9 00	Box, Main Shaft, 2 3/16.
567	3 00	Sprocket, 30 Teeth, 2 1/16, 52 Chain. Takes place of No. 310.
568	7 50	Hanger, Dump Wheel Shaft, and Main Wheel Box, 2 1/16, Steam Harvester.
569	17 50	Gear, International and External, 40 and 58 Teeth, 3¼ inch Face inside, 2½ inch Face outside, 2¼.
570	4 00	Cap for No. 566, 2 3/16.
571	2 50	Pinion, Main Wheel, 16 Teeth, 3¾ Face, 2 3/16.
572	5 00	Segment, Main Wheel, 3¾ Face. Takes place of No. 4 B.
573	5 00	Box, Grain Wheel, 2 1/16. Takes place of No. 18 B.
574	5 00	Box, Main Wheel, 2 1/16. Takes place of No. 313.

No.	Price Each	
575	3 00	Gear, Bevel, 25 Teeth, 1 3/16, 2 Face, Side-Hill Machines.
576	3 00	Gear, Bevel, Clutch, 25 Teeth, 2 Face, 1 3/16, for Side-Hill Machines, outside Gear.
577	3 00	Gear, Bevel, Clutch, 25 Teeth, 2 Face, 1 3/16, for Side-Hill Machines, inside Gear.
579	4 50	Concave, Front, 36 inch.
580	4 50	Concave, Middle, 36 inch.
581	2 75	Concave, Blank, 36 inch.
582	8 50	Segment, Drive Wheel, 16 Teeth, 4 3/8 Face.
583	1 00	Box, Solid, Worm Shaft, 1 3/16, for Side-Hill Machines.
584	8 00	Box, Double, Jack and Bull Wheel Shaft, 1 5/16 and 2 1/4.
585	2 75	Cap for No. 584, 1 5/16 and 2 1/4.
586	1 50	Head, Triangular Beater, 1/8.
587	25 00	Hub, Main Wheel, 24 inch, 2 5/16, 13 Spokes.
588	20 00	Hub, Grain Wheel, 20 inch, 2 1/16, 13 Spokes.
589	5 00	Box, Three Way, Bevel Gear Shaft, 1 3/16.
590	75	Cap, No. 589, 1 3/16.
591	75	Cap, No. 589, 1 3/16.
592	75	Shifter, Bevel Gear Clutch, for Side-Hill Machines.
593	1 25	Casting, Shoe Frame, right hand.
594	1 25	Casting, Shoe Frame, left hand.
595	1 00	Casting, Shoe Crank, 1 5/16. Takes place of No. 39.
596	6 00	Segment, Grain Wheel, 16 Teeth, 2 3/4 Face.
597	75	Box, Flange, Straw Carrier, 1 1/16.
598	3 00	Pinion, 20 Teeth, 1 3/16, 2 1/4 Face.
599	1 25	Box, Brake, 1 1/16.
600	10 00	Pulley, Cylinder, 9x8 inch, 1 1/16, Standard and Side-Hill Machines.
601	2 50	Sprocket, 15 Teeth, 2 1/16, 62 Chain.
602	16 00	Hub, Grain Wheel, 2 7/16, 16 inch.
603	16 00	Hub, Grain Wheel, 2 7/16, 16 inch, Side-Hill Machines.
604	20 00	Hub, Main Wheel, 2 7/16, 20 inch, Standard and Side-Hill Machines.
605	17 50	Hub, Main Wheel, 2 7/16, 18 inch, Standard and Side-Hill Machines.
606	20 00	Hub, Main Wheel, 2 7/16, 22 inch, Standard and Side-Hill Machines.
607	5 75	Box, Three Way, 2 3/16, 1 5/16 and 1 3/16, Side-Hill Machines.
608	1 00	Cap, No. 607, 2 3/16.
609	1 25	Cap, No. 607, 1 5/16.

No.	Price Each	
610	1 00	Cap, No. 607, 1 3/16.
611	50	Connection, Wrought Iron, on Bell Crank.
612	1 75	Sprocket, 11 Teeth, 1 5/8, 62 Chain, Side-Hill Machines.
613	5 00	Box, Main Pinion and Bevel Gear Shafts, 1 5/8, Side-Hill Machines.
614	4 50	Pinion, 12 Teeth, 2¾ Face, 1 5/8.
615	1 00	Beater, Two-arm, Feeder House, 1 5/8.
616	1 50	Pulley, 4¼x2¼ inch, 1 1/8. Runs Feeder House Beater.
617	3 00	Sprocket, Double, 17 and 14 Teeth, 1 5/8, No. 52 and No. 62 Chain.
618	4 00	Pinion, Main Wheel, 2 3/16, 12 Teeth, 4 inch Face, Standard and Side-Hill Machines.
619	2 50	Sprocket, 15 Teeth, 1 5/8, 62 Chain.
620	50	Casting, end of Shoe Pitman.
621	4 75	Pinion, Internal Gear, 13 Teeth, 1 5/8, 5 inch Face, Side-Hill Machines.
622	2 00	Pinion, 16 Teeth, 1 3/16, 1½ Face, Side-Hill Machines.
623	20 00	Gear, Internal, 55 Teeth, 2¼, 3¼ Face, Side-Hill Machines.
624	1 25	Sprocket, 8 Teeth, 1 3/16, 52 Chain, Side-Hill Machines.
625	10 00	Hub, Front Wheel, 1 5/8, 10 Spokes.
626	2 50	Sprocket, 16 Teeth, 2 5/16, 52 Chain. Takes place of No. 381.
627	2 75	Sprocket, 18 Teeth, 1 5/16, 52 Chain.
628	1 50	Sprocket, 10 Teeth, 1 5/16, 45 Chain.
629	16 00	Hub, Header Wheel, 1 5/8, 10 Spokes.
630	16 00	Hub, Header Wheel, 1 5/8, 10 Spokes.
631	1 00	Box, Flange, 1 3/16.
633	30 00	Hub, Main Wheel, 40 inch Tire (Special), 2 5/8 inch.
634	1 25	Sprocket, 8 Teeth, 1 5/8, 52 Chain.
635	1 00	Casting, Screen Bracket, right hand, Side-Hill Machines.
636	1 00	Casting, Screen Bracket, left hand, Side-Hill Machines.
637	2 25	Rack, 20 Teeth, 3 inch Face, Side-Hill Machines.
638	75	Crank for Shaking Screens in Cleaner, Junior Side-Hill Machines, 1 5/8.
639	50	Casting for Screen on Cleaner, Side-Hill Machines.
640	50	Casting on Cleaner Screen, Side-Hill Machines.

No.	Price Each	
641	4 50	Concave, Front, two rows, 24 inch, Junior Side-Hill Machine.
642	4 50	Concave, two rows, 24 inch, Junior Side-Hill Machine
643	2 75	Concave, Blank, 24 inch, Junior Side-Hill Machine.
644	1 25	Sprocket, 7 Teeth, $\frac{15}{16}$, 52 Chain.
645	2 25	Sprocket, Crank, 12 Teeth, $1\frac{3}{16}$, 52 Chain.
646	3 00	Box, Double, Jack Shaft, $1\frac{15}{16}$ and $1\frac{3}{16}$, Side-Hill Machines.
647	1 00	Tightener, 52 Mall. Chain, Standard and Side-Hill Machines.
648	4 00	Sprocket, 10 Teeth, $1\frac{5}{16}$, 77 Chain.
649	1 00	Flange, No. 648.
650	75	Casting on Stand Post to hold Rack in place for raising and lowering Side-Hill Machines.
651	1 00	Casting for Screen Hanger, $\frac{15}{16}$, Side-Hill Machines.
652	1 00	Casting to hold weight arms on Cleaner, Side-Hill Machines.
653	1 00	Casting on Stand Post Header Raiser, $\frac{15}{16}$.
654	1 00	Gear, Round, Tooth, raises and lowers Header, 8 Teeth, $\frac{15}{16}$.
655	75	Box, Flange, $\frac{3}{4}$ inch Rough Iron Shaft, Side-Hill Machines.
656	4 00	Bracket, Cylinder Belt Tightener, $\frac{15}{16}$, 8 inch Belt, Side-Hill Machines.
657	75	Hanger, No. 656, right hand.
658	75	Hanger, No. 656, left hand.
659	6 50	Pulley, Cylinder Belt Tightener, 6x8 inch, $\frac{15}{16}$.
660	1 25	Hub, Flange, Pilot Wheel, $\frac{15}{16}$, Side-Hill Machines.
661	3 00	Sprocket, 10 Teeth, $1\frac{3}{16}$, 77 Chain.
662	2 25	Sprocket, 8 Teeth, $1\frac{3}{16}$, 77 Chain.
663	50	Flange, No. 662.
664	75	Casting, Stand Post to hold Rack in place, Side-Hill Machines.
666	1 00	Box, Draper Roller, Sickle Bar Side.
667	1 00	Box, Draper Roller, Back Board Side.
668	1 00	Casting, Yoke, Guide Post for Rack, Side-Hill Machines.
669	17 50	Pulley, Jack, 8x26 inch, $1\frac{15}{16}$, Junior Side-Hill Machines.
670	1 00	Casting to Trip Side-Hill Machines.
671	1 00	Rack, 9 Teeth, 1 inch Face, raises and lowers Header, Side-Hill Machines.

No.	Price Each	
672	2 75	Pulley, 7x2¼ inch, 1 5/16, Side-Hill Machines.
673	2 00	Disc, 3½x2¼ inch, 1 5/16, Cleaner, Side-Hill Machines.
674	10 00	Hub, Plow Cart Wheel, and Front Wheel, Water Wagon, 1 15/16.
675	10 00	Hub, Rear Wheel, 1 15/16.
676	10 50	Hub, Rear Wheel, Water Wagon, 2 7/16.
677	2 50	Pulley, 6x3 inch, 1 5/8.
678	2 25	Sprocket, 13 Teeth, 1 11/16, 62 Chain.
679	2 25	Sprocket, 14 Teeth, 1 5/8, 62 Chain.
680	3 50	Pinion, 19 Teeth, 2¼ Face, 1 3/16, Steam Harvester.
681	1 00	Casting to receive Rack Hanger, Side-Hill Machines.
682	2 00	Pulley, 4½x2 inch, 1 5/16, Standard and Side-Hill Machines.
683	75	Hanger, Cylinder Belt Tightener, left hand.
684	50 00	Hub, 16 ton Logging Truck, 3¾ Axles, 12 inch Tire.
685	75	Casting, Riddle Hanger, 1 3/16, Side-Hill Machines.
686	1 00	Casting to hold balance weight arms, 1 3/16, Side-Hill Cleaner.
687	1 00	Head, Beater Four-Arm, 1 5/16, right hand, Steam Harvester.
688	1 00	Head, Beater, Four-Arm, 1 5/16, left hand, Steam Harvester.
689	7 50	Pulley, Cylinder, 8x8 inch, for Side-Hill Machines.
690	3 00	Sprocket, 30 Teeth, 1 5/8, 52 Chain, Steam Harvester.
691	1 50	Sprocket, 10 Teeth, 1 3/16, 52 Chain.
692	1 00	Sprocket, 6 Teeth, 1 3/16, Jackson Feeder.
693	75	Bracket Casting for Foot Lever on Front Wheel Brake, Side-Hill Machines.
694	1 50	Box, Bracket, Idler Sprocket, Junior Side-Hill Machine.
695	50 00	Hub, Rear Wheel, 16 ton Wagon, 3¾ Axle.
696	50 00	Hub, Front Wheel, 16 ton Wagon, 3¾ Axle.
697	10 00	Rack, right hand, raises and lowers Side-Hill Machines.
698	10 00	Rack, left hand, raises and lowers Side-Hill Machines.
700	2 75	Box, Cylinder, 1 11/16, Baby Side-Hill Machines.
701	1 25	Cap for No. 700, 1 11/16.
702	50	Shaker Casting, Return Spout on Cleaner, Baby Side-Hill Machines.

No.	Price Each	
703	50	Box, Truss Foot, Junior Side-Hill Machine.
704	1 00	Casting, Straight Guide, to hold ring in place on Front Wheel, Baby Side-Hill Machines.
705	1 00	Casting, Guide, holds ring in place on Front Wheel, Junior Side-Hill Machines.
706	8 00	Gear, Internal, 36 Teeth, 2¼ Face, 1 11/16, Baby Side-Hill Machines.
707	3 00	Box, Three Way, Bevel Gears, runs Reel, 1 15/16, Baby Side-Hill Machines.
708	25	Casting, Bracket, Cleaner Shoe, Baby Side-Hill Machines.
709	10 00	Concave 21 inch, Betty Best, and Baby Side-Hil Machines.
710	3 00	Pinion, Main Drive, 12 Teeth, 4 inch Face, 1 15/16, Baby Side-Hill Machines.
711	3 25	Sprocket, 9 Teeth, 1 11/16, 78 Chain.
712	4 25	Box, Main Wheel Shaft, 2 7/16, Baby Side-Hill Machines.
713	50	Cap, No. 707, 1 15/16, Baby Side-Hill Machines.
714	4 00	Box, Double, Cylinder and Internal Gear Shafts, 1 11/16, Baby Side-Hill Machines, and Betty Best Machines.
715	2 00	Cap, No. 714.
716	1 00	Box, Outside Internal Gear Counter Shaft, Side-Hill Machines.
717	75	Cap, No. 716, 1 11/16.
718	4 00	Box, Grain Wheel, 1 15/16, Baby Side-Hill Machines.
719	7 50	Sprocket, 34 Teeth, 1 15/16, 78 Chain, Baby Side-Hill Machines.
720	2 25	Disc, Header Shaft, 1 3/16, Baby Side-Hill Machines.
721	1 00	Box, Sickle Shaft, 1 3/16, Baby Side-Hill Machines.
722	50	Cap, No. 707, 1 15/16.
723	2 50	Clutch, 4 Jaw, Bull Pinion Shaft, 1 5/16, Baby Side-Hill Machines.
724	7 50	Hub, Grain Wheel, 1 15/16, 12 inch Tire, Baby Side-Hill Machines.
725	6 00	Box, Bull pinion Shaft, 1 15/16, Baby Side-Hill Machines.
726	1 00	Cap, No. 725.
727	3 50	Hook, Header, Baby Side-Hill Machines.
728	2 00	Pinion, Grain Wheel, 12 Teeth, 2¼ inch, 1 15/16, Baby Side-Hill Machines.

No.	Price Each	
729	7 00	Box, Double, Pinion and Bevel Gear Shafts, Grain Wheel side, 1 5/16 and 1 1/16, Baby Side-Hill Machines.
730	1 25	Cap for No. 729, 1 1/16.
731	3 50	Box, Pinion and Bevel Gear Shafts, inside timber, Grain Wheel side, 1 5/16, Baby Side-Hill Machines.
732	1 25	Cap, No. 731, 1 1/16.
733	50	Shifter, Clutch, Baby Side-Hill Machines.
734	1 50	Casting, Eye, receives Push Pole Hook, Baby Side-Hill Machines.
735	1 00	Hook, Push Pole, Baby Side-Hill Machines.
736	1 50	Gear, Bevel, 21 Teeth, 7/8 inch, 1 1/16, Baby Side-Hill Machines.
737	1 00	Gear, Bevel, 15 Teeth, 7/8 inch, 1 1/16, Baby Side-Hill Machines.
738	50	Casting, Socket, for Shaker Connection on Cleaner, Baby Side-Hill Machines.
739	1 75	Pinion, 13 Teeth, 2 inch, 1 1/16, Baby Side-Hill Machines.
740	75	Box, Draper Roller, Baby Side-Hill Machines.
741	1 00	Casting, Shoe Frame, right, Baby Side-Hill Machines.
742	1 00	Casting, Shoe Frame, left, Baby Side-Hill Machines.
743	3 75	Sprocket, 8 Teeth, 1 1/16, 78 Chain Side-Hill Machines.
744	2 00	Clutch, Double, 1 1/16, raises and lowers Side-Hill Machines.
745	1 75	Pulley, 4½x3 inch, 1 1/16, Baby Side-Hill Machines.
746	1 00	Box, Bracket, Beater Shaft, 1 3/16, Betty Best and Baby Side-Hill Machines.
747	1 75	Sprocket, Clutch, 12 Teeth, 1 1/16, 52 Chain, Baby Side-Hill Machines.
748	1 75	Sprocket, Clutch, 13 Teeth, 1 1/16, 52 Chain, Baby Side-Hill Machines.
749	75	Tightener, Top Feeder, 1 1/16, Baby Side-Hill Machines.
750	50	Cap, No. 746, 1 3/16, Side-Hill Machines.
751	2 50	Sprocket, 16 Teeth, 2 7/8, 52 Chain, Baby Side-Hill Machines.
752	4 00	Sprocket, 38 Teeth, 1 1/16, 62 Chain, Baby Side-Hill Machines.
753	3 50	Sprocket, 10 Teeth, 1 1/16, 78 Chain, Baby Side-Hill Machines.

No.	Price Each	
754	5 00	Gear, Worm, 26 Teeth, 2 inch Face, 1 3/16, Baby Side-Hill Machines.
755	1 75	Hub, Reel, 1 1/16, Steam Harvester.
756	2 00	Sprocket, 12 Teeth, 1 3/16, 62 Chain, Baby Side-Hill Machines.
757	1 00	Casting, foot of Rack Timber, Baby Side-Hill Machines.
758	1 50	Sprocket, 9 Teeth, 1 5/16, 52 Chain, Steam Harvester.
759	1 25	Sprocket, 7 Teeth, 1 1/16, 52 Chain, Steam Harvester.
760	1 25	Casting to receive No. 757, Baby Junior, Side-Hill Machines.
761	1 00	Box, Bracket, Beater Shaft, 1 5/16.
762	50	Cap, No. 761, 1 5/16.
763	2 00	Casting to trip Clutch on Sprockets that raise and lower Machine, Baby Side-Hill Machines.
764	2 25	Box, Bull Pinion Shaft, outside timber, 1 1/16, Baby Side-Hill Machines.
765	1 25	Fork, Guide, holds rack and pinion together, raises and lowers Side-Hill Machines.
766	1 00	Box, Solid, Worm Pinion Shaft, 1 1/8, Baby Side-Hill Machines.
767	1 25	Sprocket, 8 Teeth, 1 3/16, 52 Chain, Baby Side-Hill Machines.
768	1 25	Box, Solid, Worm Gear Shaft, 1 3/16, Baby Side-Hill Machines.
769	2 00	Pinion, 11 Teeth, 2 7/8 inch Face, 1 3/16, Raises and lowers Baby Side-Hill Machines.
770	2 00	Worm, 1 5/8, Baby Side-Hill Machines.
771	1 25	Sprocket, 8 Teeth, 1 5/16, 45 Chain, Baby Side-Hill Machines.
772	15 00	Hub, Grain Wheel, 16 inch Tire, 1 1/16, Baby Side-Hill Machines.
773	25 00	Segment, Grain Wheel, 77 Teeth, 2 1/4 Face, Baby Side-Hill Machines.
774	2 00	Hinge, Grain Wheel Frame, 1 inch Pin, Baby Side-Hill Machines.
775	50	Pin, Flange, No. 774.
776	75	Head, Drum, 4 inch Diameter, Straw Carrier, Baby Side-Hill Machines.
777	4 00	Frame, Belt Tightener, 1 5/16, for 10x10 Tightener Pulley.
778	50	Bracket, Belt Tightener Frame, Steam Harvester.
779	3 50	Sprocket Flange, 17 Teeth, 1 1/16, 62 Chain.

No.	Price Each	
780	1 50	Gear, Bevel, 21 Teeth, $\frac{11}{16}$, runs Straw Carrier, Baby Side-Hill Machines.
781	1 50	Gear, Bevel, 15 Teeth, $\frac{11}{16}$, runs Straw Carrier, Baby Side-Hill Machines.
782	1 75	Sprocket, 12 Teeth, $\frac{11}{16}$, 52 Chain, runs Top Draper.
783	2 00	Head, Beater, $1\frac{3}{16}$.
784	1 25	Box, Double Bracket, $\frac{11}{16}$, Miter Gears that run Straw Loader, Baby Side-Hill Machines.
785	1 00	Head, Beater, 4 Arms, $\frac{15}{16}$, Inside Feeder House.
786	1 50	Box, Flange, $\frac{15}{16}$.
787	75	Guide, Grain Carrier, Tightener Box, left hand.
788	11 00	Concave, 26 inch, Junior Side-Hill Machines.
789	3 00	Gland, Stuffing Box, Cylinder Head, 8½x7 Aug. Engine.
790	75	Guide, Grain Carrier Tightener Box, left hand.
791	2 25	Pinion, 16 Teeth, $\frac{15}{16}$, 1½ Face, Baby Side-Hill Machine.
792	2 50	Pulley, 8x2 inch, $1\frac{3}{16}$, Baby Side-Hill Machines.
793	1 00	Box, Draper Roller and Cone, Baby Side-Hill Machines.
794	50	Box, raises and lowers Concave.
795	1 00	Box, Brake Lever, 1¾ inch, Baby Junior Side-Hill Machines.
796	50	Casting, Eye, for Board over Shoe, used also with Nos. 741 and 742, Baby Junior Side-Mill Machines.
797	1 00	Crank, Shaker, Cleaner, $\frac{15}{16}$, Baby Junior Side-Hill Machines.
798	1 00	Casting, Foot, Brake Lever, Baby Junior Side-Hill Machines.
799	1 25	Fork, Guide, $1\frac{3}{16}$, holds Rack and Pinion together, Baby Junior Side-Hill Machines.
800	1 25	Box, Header Drive Shaft, $1\frac{5}{16}$, Baby Junior Hill Machines.
801	75	Cap for No. 800, $1\frac{5}{16}$.
802	75	Box, Tightener, Jackson Feeder, Baby Junior Hill Machines.
803	2 00	Casting, Combined, $1\frac{3}{16}$, to receive Header Hook and Brake Shaft, Baby Junior Side-Hill Machines.

No.	Price Each	
804	12 50	Pulley, Cylinder Belt Tightener, 10x10 inch, $\frac{15}{16}$.
805	50	Casting, Shoe Hanger, Cleaner.
806	50	Casting, Cleaner Spout, Baby Junior Side-Hill Machine.
807	5 00	Hub, $1\frac{11}{16}$, front and rear wheels, Portable Cleaner, and Header Truck.
808	25	Casting on Cleaner Screen, Baby Junior Side-Hill Machines.
809	25	Stub, Wind Splitter, all Horse-Power Machines.
810	75	Box, Solid, $1\frac{3}{16}$, Worm Gear Shaft, Baby Junior Side-Hill Machines.
811	50	Crank, Wind Splitter Stub, $\frac{11}{16}$, Baby Junior Side-Hill Machines.
813	1 50	Box, Grain Wheel, $1\frac{15}{16}$, Baby Side-Hill Machines.
814	1 00	Crank, $\frac{15}{16}$, shakes Cleaner Screen, Baby Side-Hill Machines.
815	75	Box, Tightener, Jackson Feeder, Baby Side-Hill Machines.
816	75	Guide, Sickle, Baby Side-Hill Hachines.
817	3 50	Sprocket, 7 Teeth, $1\frac{11}{16}$, 78 Chain, Baby Side-Hill Machines.
818	1 25	Sprocket, 6 Teeth, $\frac{15}{16}$, 52 Chain, Baby Side-Hill Machines.
819	18 00	Gear, Internal and External, with Clutch, 40 and 58 Teeth, 3¼ inch Face inside, 2½ inch outside, $1\frac{15}{16}$. (Special.)
820	50	Guide, Bracket, Jackson Feeder, Baby Side-Hill Machines.
821	50	Guide, Bracket, Jackson Feeder, Baby Side-Hill Machines.
822	2 25	Pulley, 6x2¼ inch, $\frac{15}{16}$, Baby Side-Hill Machines.
823	1 25	Sprocket, 6 Teeth, $1\frac{3}{16}$, 52 Chain, Baby Side-Hill Machines.
824	75	Casting, Strap, to take Main Wheel Bolts on top of timber, Baby Side-Hill Machines.
825	1 00	Box, Bracket, 2, Worm Gear Shaft, to fit over Hub of Worm Pinion, Baby Side-Hill Machines.
826	75	Casting, Foot, for Truss, Baby Side-Hill Machines.
827	50	Fork, Shifter, for Clutch Sprocket, Baby Side-Hill Machines.

No.	Price Each	
828	18 00	Gear, Internal and External with Clutch, 40 and 58 Teeth, 3¼ inch Face inside, 2½ inch Face outside, 2 3/16, Standard Horse Power Machines.
829	2 50	Pinion, Worm, 1 5/16, Baby Side-Hill Machines.
830	2 50	Sprocket, 17 Teeth, 1 inch square hole, 52 Chain.
831	1 00	Tightener, No. 52 Chain.
832	1 50	Pulley, Flange, 5x2 inch, 1 1/16, Baby Side-Hill Machines.
833	4 00	Sprocket, 40 Teeth, 1 3/16, 52 Chain.
834	7 50	Box, Three Way, 1 3/16 and 1 5/16.
835	1 25	Cap, No. 834, 1 3/16.
836	1 00	Box, 1 5/16, Baby Junior Headers.
837	50	Cap for No. 836, 1 5/16.
838	45 00	Hub, Rear, 10 Ton Logging Truck, 3⅜ Axle.
839	45 00	Hub, Front, 10 Ton Logging Truck, 3¼ Axle.
840	40 00	Hub, Rear, 10 Ton Logging Truck, 6¼ Axle.
841	30 00	Hub, Rear, 1700 Gallon Water Wagon, 2 1/16 Axle.
842	1 25	Lock, Worm Gear, Baby Side-Hill Machines.
843	2 50	Box, Bracket, Worm Shaft, 1 5/16, Baby Side-Hill Machines.
844	50	Casting, Strap, for Vibrating Screen.
845	1 25	Tightener, No. 52 and No. 62 Chain, Junior Side-Hill Machines.
846	1 75	Tightener, No. [illegible] Chain, Junior Side-Hill Machines.
847	2 00	Gear, Bevel, 15 Teeth, 2¼ inch Face, 1 1/16, Steam Harvester.
848	2 00	Gear, Bevel, 15 Teeth, 2¼ inch Face, 1 5/16, Steam Harvester.
849	1 75	Casting, Lock, for Wheel and Pinion Boxes, Junior Side-Hill Machines.
850	3 00	Sprocket, 9 Teeth, 1 3/16, 77 Chain, Steam Harvester.
851	5 50	Sprocket, 18 Teeth, 2 1/16, 77 Chain.
852	1 00	Sprocket, 5 Teeth, 1 1/16, Jackson Feeder Chain, Junior Side-Hill Machines.
853	1 50	Sprocket, 10 Teeth, 2⅞, 52 Chain.
854	1 25	Hinge, Sack Dump, Junior Side-Hill Machines.
855	5 00	Box, Bull Pinion Shaft, 1 5/16, Baby Side-Hill Machines.

No.	Price Each	
856	2 00	Cap, No. 855, $1\frac{15}{16}$.
857	20 00	Hub, Main Wheel, $2\frac{15}{16}$, 13 Spokes, 22 inch Tire.
858	1 00	Trip, Sack Dump, Junior Side-Hill Machines.
859	1 50	Box, Bracket, Worm Gear Shaft, $\frac{15}{16}$, right hand, Junior Side-Hill Machines.
860	1 50	Box, Bracket, Worm Gear Shaft, $\frac{15}{16}$, left hand, Junior Side-Hill Machines.
861	1 75	Worm, Side-Hill Harvester, $\frac{15}{16}$.
862	50	Hinge for Screen, $\frac{11}{16}$.
863	50	Hinge for Screen, 21-32 Pin.
864	2 75	Cap, Dust, 18 Ton Wagon, $3\frac{5}{8}$.
865	2 50	Cap, Dust, 16 Ton Wagon, $3\frac{3}{16}$.
866	3 50	Cap, Dust, 12 Ton Wagon, 3.
867	2 50	Cap, Dust, 12 Ton Wagon, 3.
868	2 50	Cap, Dust, 10 Ton Wagon, $2\frac{3}{4}$.
869	1 75	Cap, Dust, Rear Axle, 1700 Gallon Water Wagon, $2\frac{7}{16}$.
870	1 50	Cap, Dust, Rear Axle, 700 Gallon Water Wagon, $2\frac{7}{16}$.
871	1 00	Cap, Dust, Front Axle, Water Wagon and Plow Cart, $1\frac{15}{16}$.
872	1 25	Casting, Screen Hanger, $1\frac{5}{8}$, Side-Hill Machines.
873	1 25	Casting, Supports Reach, 12 and 16 Ton Logging Trucks.
874	25	Box, Flange, $1\frac{5}{8}$, Junior Side-Hill Machines.
875	1 50	Lever, Trip, $1\frac{7}{16}$, Junior Side-Hill Machines.
876	1 25	Lever, Lock, Junior Side-Hill Machines.
877	1 25	Hub, Reel, with Clutch, $1\frac{3}{4}$, Steam Harvester.
878	1 00	Hub, Reel, plain, $1\frac{3}{4}$, Steam Harvester.
879	50	Hinge for Screen, $1\frac{5}{8}$, Baby Side-Hill Machines.
880	50	Hinge for Screen, 21-32 inch Pin, Baby Side-Hill Machines.
881	3 00	Pulley, 12x2 inch, $1\frac{5}{16}$, Baby Side-Hill Machines.
882	20 00	Pulley, Jack, 26x8 inch, 2, Gas Engine Shaft on Senior Side-Hill Machines.
883	75	Cap, Dust, Rear Axle, 700 Gallon Water Wagon, $1\frac{15}{16}$.
884	12 50	Pulley, 12 inches in Diameter, 7¼ inch Face, $1\frac{1}{16}$.
885	10 00	Pulley, 10 inches in Diameter, 7¼ inch Face, $1\frac{3}{16}$.

No.	Price Each	
886	5 50	Gear, Worm, 26 Teeth, 2½ inch Face, 1 7/16, Baby Side-Hill Machines.
887	1 75	Sprocket, Clutch 12 Teeth, 1 3/16, 52 Chain, raises and lowers Side-Hill Machines.
888	1 75	Sprocket, Clutch, 13 Teeth, 1 3/16, 52 Chain, raises and lowers Side-Hill Machines.
889	1 25	Clutch, Double, 1 3/16, raises and lowers Side-Hill Machines.
890	2 00	Spool, Double, 3½ inches high, 16 Ton Logging Truck.
891	3 50	Spool, Double, 4⅝ inches high, 16 Ton Logging Truck.
892	1 25	Spool, Single, 3⅛ inches high, 16 Ton Logging Truck.
893	2 00	Spool, Single, 8½ inches high, 16 Ton Logging Truck.
894	2 00	Tightener, Chain, 1 5/16 inch Pin, 5½ inch long, No. 77 Chain.
895	50	Box, Open, Sack Dump, 1½ inch Rough Iron Shaft, Baby Side-Hill Machines.
896	50	Box, Open, Sack Dump, 1½ inch Rough Iron Shaft, Baby Side-Hill Machines.
897	50	Lever, Lock, Baby Side-Hill Machines.
898	1 00	Casting, Lock, W[illegible]m Shaft, 1 5/16, Baby Side-Hill Machines.
899	1 25	Casting, Lock, W[illegible]m Shaft, 1 3/16, Baby Side-Hill Machines.
900	50	Guide, Grain Carr[illegible]er Tightener Box, Side-Hill Machines.
901	1 00	Box, Draper Ro[illegible]er and Cone, Baby Side-Hill Machines.
902	1 25	Clutch, Joint, Cylinder Shaft, 1 11/16, Side-Hill Machines.
903	1 75	Worm, 1 3/16, Baby Side-Hill Machines.
904	6 00	Box, Double, 1 7/16 and 1 3/16, Baby Side-Hill Machines.
905	1 00	Cap for No. 904, 1 7/16.
906	3 00	Pinion, 11 Teeth, 2 1/16 inch Face, 1 7/16, Rack, raises and lowers Side-Hill Machines.
907	1 25	Fork, Guide, holds Rack and Pinion in place, 1 7/16, Side-Hill Machines.
908	1 25	Fork, Guide, holds Rack and Pinion in place, 1 7/16, Side-Hill Machines.
909	1 50	Box, Solid, Worm Gear Shaft, 1 7/16, Side-Hill Machines.
910	75	Box, Grain Carrier, 1 1/16, all horse power Machines.

No.	Price Each	
911	75	Bracket, Grain Carrier Tightener Box.
912	3 00	Sprocket, 5 Teeth, 1 5/16, 77 Chain, Senior Standard Machine. (Bambauer Bros.)
913	5 25	Sprocket, 15 Teeth, 1 3/16, 77 Chain, Senior Standard Machine. (Bambauer Bros.)
914	9 00	Pinion, 14 Teeth, 3½ inch Face, 1 1/8, Standard Machines.
915	1 75	Sprocket, 13 Teeth, 1 3/16, 52 Chain, Junior Side-Hill Machines.
916	1 25	Shifter, Clutch, Junior Side-Hill Machines.
917	50	Casting, Cleaner Foot 1¾x2 inch Junior Side-Hill Machines.
918	2 25	Box outside timber Main Wheel, 2 7/16, Junior Side-Hill Machines.
919	1 50	Spool, Single, 3 inch, 16 Ton Log Truck.
920	1 25	Joint, Universal, Female, 1¾ inch Cylinder Shaft, Gasoline Harvester.
921	1 00	Block, Sliding, Nos. 920 and 922.
922	1 25	Joint, Universal, Male, 1¾ inch Cylinder Shaft, Gasoline Harvester.
923	4 50	Friction Disc, Male, 1¾, Gasoline Harvester. (Fair Machine.)
924	3 00	Friction Disc, Female, 1¾, Gasoline Harvester. (Fair Machine.)
925	4 00	Sprocket, Double, 8 Teeth, 1¾ inch, 62 Chain, Gasoline Harvester. (Fair Machine.)
926	4 00	Sprocket, 12 Teeth, 1 3/16, 77 Chain, all Machines.
927	4 00	Box, Main Wheel, 2 7/16, Junior Side-Hill Machines
928	1 00	Box, Flange, 1 5/8.
929	1 75	Sprocket, 11 Teeth, 1 3/16, 62 Chain, Junior Side-Hill Machines, takes place of No. 386.
930	7 50	Box, Pinion and Bevel Gear Shafts, 1 5/8 and 1 5/16, Standard Horse Power Machines.
931	10 00	Pinion, 12 Teeth, 4½ Face, 3½ Aux. Log Truck.
932	9 00	Box, Jack Shaft, 2¼, Grain Wheel, Standard Horse Power Machines.
933	1 25	Cap, No. 932, 2¼.
934	15 00	Segment, 16 Teeth, 4½ Face, Aux. Log Truck.
935	4 00	Box, Double, Cylinder Shaft, 1 1/8, Standard Horse Power Machines.
936	2 00	Cap, No. 935, 1 1/8.

No.	Price Each	
937	2 00	Box, Bevel Gear Shaft, 1 5/16, Standard Horse Power Machines.
938	17 00	Sprocket, Double Clutch, 38 Teeth, 2¼, 78 Chain, Standard Horse Power Machines.
939	6 00	Sprocket, Double Clutch, 48 Teeth, 2¼, 62 Chain, Standard Horse Power Machines.
940	3 50	Clutch for 2¼ inch Shaft, Standard Horse Power Machines.
941	9 00	Gear, Internal, 36 Teeth, 2⅜ Face, 1 11/16, 78 Chain, Standard Horse Power Machines.
942	3 75	Sprocket, 8 Teeth, 1 11/16, 78 Chain, Standard Horse Power Machines.
943	4 00	Sprocket, 9 Teeth, 1 11/16, 78 Chain, Standard Horse Power Machines.
945	1 00	Crank, Shoe, 1 3/16.
946	2 00	Arm, Shoe Shaker, 1 3/16.
947	50	Cap, No. 946, 1 3/16.
948	1 75	Sprocket, 12 Teeth, 1 5/16, 52 Chain, Standard Horse Power Machines.
949	1 00	Tightener, Chain, all Machines.
950	6 00	Sprocket, Clutch, 40 Teeth, 1 11/16, No. 62 Chain, Side-Hill Machines.
951	75	Guide, Sickle, Side-Hill Machines.
952	4 00	Tightener, Cylinder Chain, Standard Machines.
953	75	Casting, Lock, Side-Hill Machines.
954	50	Bolt for No. 953.
955	50	Shifter, No. 953.
956	1 50	Keeper, No. 954, 16 Teeth, 1 3/16, Side-Hill Machines.
958	1 00	Beater, Two-Arm, Feeder House, 1 5/16.
959	75	Box, Cylinder Cap, Two-Arm Beater.
960	2 75	Sprocket, 18 Teeth, 1 1/16, 52 Chain.
962	50	Trip, Sack Dump.
963	2 50	Sprocket, Clutch, 16 Teeth, 1 3/16, 62 Chain.
964	1 50	Clutch, 1 3/16 inch Shaft, Gasoline Harvester.
965	12 00	Concave, 30 inch, Standard Side-Hill Harvester.
967	1 50	Sprocket, 9 Teeth, 1 11/16, 62 Chain.
968	75	Guide, Roller Box, Side-Hill Harvester Header.
969	1 50	Keeper, No. 954, 16 Teeth, 1 5/16, all Side-Hill Machines, Model of 1905.
970	17 50	Hub, Grain Wheel, 18 inch, 1 15/16.
971	2 00	Hub, Reel End, 1 11/16, 12 Spokes.
972	1 75	Hub, Reel Center, 1 11/16, 12 Spokes.
973	2 25	Sprocket, 14 Teeth, 1 11/16, 62 Chain.

No.	Price Each	
974	1 75	Sprocket, 10 Teeth, 1 5/16, 62 Chain.
975	2 25	Sprocket, Clutch, 13 Teeth, 1 3/16, 62 Chain.
976	1 75	Sprocket, 11 Teeth, 1 5/8, 62 Chain.
977	12 50	Pinion, 12 Teeth, 4¼ Face, 3½, 25 Ton Aux Wagon.
978	2 25	Sprocket, 13 Teeth, 1 3/16, 62 Chain.
979	5 25	Sprocket, 15 Teeth, 1 5/16, 77 Chain, Steam Harvester.
980	1 00	Tightener, No. 77 Chain, 1 5/8.
981	1 00	Cap, No. 716, 1 11/16.
982	1 75	Box, Brake, 25 Ton Ore Wagon.
983	1 75	Ratchet, No. 982, 25 Ton Ore Wagon.
984	25	Pawl, Brake, No. 983, 25 Ton Ore Wagon.
985	60 00	Hub, Front, 5 inch, 25 Ton Ore Wagon.
986	60 00	Hub, Rear, 6 inch, 25 Ton Ore Wagon.
987	10 00	Box, Main Wheel, 2¼, Rebuilt 1903 Side-Hill Machines.
988	50	Collar, Stop, Main Brake on all Harvesters.
989	1 00	Spool, Double, 1½, 25 Ton Ore Wagon.
990	4 00	Box, Outside Main Wheel, 2¼ inch, used on 1903 Rebuilt Harvesters.
991	1 50	Cap, No. 990, 2¼.
992	1 50	Guide, Circular, Front Wheel, Side-Hill Harvester.
993	4 00	Box, Main Wheel, 2 7/16, Side-Hill Machines.
994	4 00	Box, Main Wheel, 1 5/8.
995	1 75	Cap, No. 994, 1 5/8.
996	75	Casting, Eye, for Band over Shoe to fit over Castings 741 and 742, Side-Hill Harvesters.
997	3 50	Hook, Header, Side-Hill Machine.
998	2 25	Casting, Eye, Side-Hill Harvester.
999	75	Casting, Adjustable, on Trip Rod, Side-Hill Harvesters.
1000	2 00	Sprocket, 15 Teeth, 1 5/8, No. 52 Chain.
1001	1 75	Casting, holds Weight Arms on Cleaner, Side-Hill Harvester.
1002	22 50	Segment, 16 Teeth, 4¼ Face, 25 Ton Aux. Wagon.
1003	22 50	Segment, 16 Teeth, 4¼ Face, 25 Ton. Aux. Wagon.
1004	6 00	Hub, Header and Front Wheel, 1 11/16, Betty Best.
1005	50	Casting, with Pin ½ inch Diameter to support Grain Carrier Roller.
1006	4 00	Box, Solid, Baby Side-Hill Machines.

No.	Price Each	
1007	1 75	Socket, Brake Roller Lever, Baby Side-Hill Machines.
1008	25 00	Hub, 24 inch Wheel, 2 7/16, Baby Side-Hill Machines.
1009	17 50	Hub, 16 inch Wheel, 1 15/16, Baby Side-Hill Machines.
1010	20 00	Hub, 18 inch Wheel, 1 15/16, Baby Side-Hill Machines.
1011	1 75	Casting, Circular Guide, holds Ring in place on Lead Wheel, Side-Hill Machines.
1012	50	Casting, Grain Carrier Idler, Baby Side-Hill Machines.
1013	1 00	Bracket, Brake Roller, for 1⅛ inch Rod, 1908 only, Machines No. 931 to 990.
1014	12 50	Head, Cylinder, outside, 1 15/16, 1908 and 1909, Betty Best.
1016	10 00	Nut, Brass, Leveling Screw, 1908, 1909, Betty Best.
1017	2 50	Gear, Bevel, 15/16, 1¾ inch Face, 17 Teeth, Header 1908, 1909, Betty Best.
1018	1 75	Hook, Header, 1908, 1909, Betty Best.
1019	8 00	Concave, 17 inch, 1908, 1909, Betty Best.
1020	6 00	Segment, Main Wheel, 3 inch Face, 19 Teeth, 54 inch Wheel, 1908, 1909, Betty Best.
1021	3 50	Box, Main Wheel, 1 15/16, 1908, 1909, Betty Best.
1022	2 50	Pinion, 12 Teeth, 3 inch Face, 1 15/16, 1908, 1909, Betty Best.
1024	3 25	Box, Main Pinion, inside 1 15/16, 1908, 1909, Betty Best.
1025	1 75	Cap, No. 1024, 1 15/16.
1026	1 75	Box, Main Pinion, outside, 1 15/16, 1908, 1909, Betty Best.
1027	1 00	Cap, No. 1026.
1028	2 00	Gear, Bevel, 1⅜, 1¾ inch Face, 17 Teeth, 1908, 1909, Betty Best.
1029	2 00	Gear, Bevel, 1 3/16, 1¾ inch Face, 17 Teeth, 1908, 1909, Betty Best.
1030	1 50	Sprocket, 8 Teeth, 1 1/16, 62 Chain.
1031	1 25	Sprocket, 6 Teeth, 1 15/16, 62 Chain.
1033	1 75	Sprocket, 10 Teeth, 1 11/16, 62 Chain, 1908, 1909, Betty Best.
1034	6 50	Sprocket, Clutch, 54 Teeth, 1 15/16, 62 Chain, 1908, 1909, Betty Best.
1035	6 50	Sprocket, Clutch, 54 Teeth, 1 15/16, 62 Chain.
1036	15 00	Hub, Grain Wheel, 1 15/16, 1908, 1909, Betty Best.

No.	Price Each	
1037	4 00	Box, Three Way, 1 3/16 and 1 5/16, Header, 1908, 1909, Betty Best.
1038	50	Cap, No. 1037, 1 3/16.
1039	50	Cap, No. 1037, 1 5/16.
1040	12 50	Box, Main Wheel, 1 1/16, 1909 Betty Best.
1041	2 25	Box, Header Shaft, 1 7/16, 1909 Betty Best.
1042	75	Cap, No. 1041, 1 7/16.
1043	16 50	Hub, Main Wheel, 1 1/16, 1909 Betty Best.
1044	3 00	Clutch, Main Wheel Shaft, 1 1/16, 1909 Betty Best.
1045	4 00	Box, Double, Leveling Device, 1 1/16, 1909 Betty Best.
1046	50	Cap, No. 1045, 1 1/16.
1047	1 75	Sprocket, Clutch, 10 Teeth, 1 7/16, 62 Chain
1048	75	Slide, Grain Carrier Tightener, 1909 Betty Best.
1049	75	Shoe, Brake, Grain Wheel, 1, 1909 Betty Best.
1050	2 00	Gear, Bevel, 1 3/16, 16 Teeth, 1¾ inch Face, 1909 Betty Best.
1051	2 00	Gear, Bevel, 1 7/16, 16 Teeth, 1¾ inch Face, 1909 Betty Best.
1052	2 00	Pinion, Bevel, 1 1/16, 13 Teeth, 1⅜ inch Face, 1909 Betty Best.
1053	2 00	Gear, Bevel, 26 Teeth, 1⅜ Face, 1 3/16, 1909 Betty Best.
1054	2 00	Gear, Bevel, 13 Teeth, 1⅜ inch Face, 1 1/16, 1909 Betty Best.
1055	1 00	Shifter, Clutch, Betty Best Separator Tipping Device, 1909 Betty Best.
1056	3 50	Box, Three Way, 1 1/16 and 1 1/16, Header Raising Device, 1909 Betty Best.
1057	50	Cap, No. 1056, 1 1/16.
1058	2 00	Gear, Bevel, 26 Teeth, 1 1/16 Face, 1 1/16, Header, Raising Device.
1059	2 00	Gear, Bevel, 26 Teeth, 1 1/16 Face, 1 1/16, Header Raising Device.
1060	2 00	Gear, Bevel, 26 Teeth, 1 1/16 Face, 1 1/16, Header Raising Device.
1061	1 00	Clutch, Double, 1 1/16, Header Raising Device.
1062	1 00	Casting, Foot, Header Raising Device Screw.
1063	2 00	Nut, Screw on Header Raising Device Screw.
1064	5 00	Brass, Cross Head Pin, O. S. Steam Harvester, used in place of No. 449.
1065	1 75	Clutch, Double, 1 1/16, Leveling Device.
1066	50	Crank, Shifter, 1 1/16, Leveling Device.
1067	2 50	Pulley, 6 inch Diameter, 3 inch Face, 1 3/16.

No.	Price Each	
1068	1 00	Bracket, Tightener, Betty Best, 1908, 1909.
1069	50	Cleaner. Shoe Hanger, all Side-Hill Machines, 1909.
1070	75	Casting, Circular Guide, 1909 Betty Best.
1071	75	Cap, Dust, Grain Wheel Hub, Betty Best.
1072	35 00	Hub, Aux. Logging Truck, 12 inch Tire, 5 Axle.
1073	25	Guide, Straw, Long, Cylinder House, 1909 Betty.
1074	20	Guide, Straw, Short, Cylinder House, 1909 Betty.
1075	3 00	Sprocket, 20 Teeth, 1 5/16, 62 Chain, Steam Harvester.
1076	7 00	Box, Roller Bearing, 1 15/16, Main Wheel, 5 Bettys, 1909.
1077	4 00	Box, Roller Bearing, 1 15/16, Main Wheel, 5 Bettys, 1909.
1078	4 00	Box, Roller Bearing, 1 15/16, Bull Pinion Shaft, 4 Bettys, 1909.
1079	3 00	Cap, Roller Bearing, 1 15/16, Bull Pinion Shaft, 4 Bettys, 1909.
1080	2 00	Box, 1 7/16, Header Shaft, 1909 Betty.
1081	1 00	Box, Roller Bearing, 1 1/8, Separator Fan Shaft, 5 Bettys, 1909.
1082	2 50	Box, Roller Bearing, 1 11/16, Header Shaft, 5 Bettys, 1909.
1083	3 50	Box, Roller Bearing, 1 15/16, Main Wheel, 5 Bettys, 1909.
1084	2 50	Box, Roller Bearing, 1 11/16, Cylinder Shaft, 5 Bettys, 1909.
1085	1 00	Cap, Roller Bearing, 1 11/16, Cylinder Shaft, 5 Bettys, 1909.
1086	1 75	Box, Roller Bearing, 1 7/16, Header Shaft, 5 Bettys, 1909.
1087	1 25	Box, Roller Bearing, 1 3/16, Beater Shaft, 5 Bettys, 1909.
1088	2 25	Box, Roller Bearing, 1 15/16, Bull Pinion Shaft, 5 Bettys, 1909.
1089	1 25	Cap, Roller Bearing, 1 15/16, Bull Pinion Shaft, 5 Bettys, 1909.
1090	50	Casting, Brake, Floor, 1909, Betty.
1091	75	Casting, Brake, Seat, 1909 Betty.
1092	50	Roller, Header Support, 1909 Betty.
1093	25	Cap, 1/8, No. 1056, Header Raising Device, 1909 Betty.
1094	75	Trip, Foot, Header Gear, 1909 Betty.

No.	Price Each	
1095	35	Bracket, Foot Trip No. 1094, ½ Shaft, 1909 Betty.
1096	7 00	Sprocket, 54 Teeth, 2 15/16, 62 Chain, 1909 Betty.
1097	12 00	Hub, Grain Wheel, 2 15/16, 1909 Betty.
1098	1 00	Cap, Dust, Hub 1097, 1909 Betty.
1099	50	Handle, Reverse Gear Rod, 1909-1910 Betty.
1100	5 50	Sprocket, Double, 17 Teeth, 52 Chain, 16 Teeth, 62 Chain, 1 1/8, 1909 Betty.
1101	35 00	Hub, Special, 14x50 Wheel, Logging Truck, 3 3/8 to 3¾.
1102	6 50	Sprocket, 54 Teeth, 2¼, 62 Chain, 1909 Bttty.
1103	1 00	Cap, Rust, 2 7/16, Grain Wheel, 1909 Betty Repair.
1104	15 00	Hub, Grain Wheel, 2¼, 1909 Betty Repair.
1105	3 50	Cap, Dust, Special Logging Truck used with Hub 1101.
1106	65 00	Frame, Aux. Engine, 8½x7, Steam Harvester 1897 and up.
1112	4 00	Box, Solid, 1 15/16, Main Wheel, 1910 Betty.
1115	2 00	Gear, Bevel, 1 3/8, 2 inch Face, 14 Teeth, Header, 1910 Betty.
1116	2 00	Gear, Bevel, 1 5/16, 2 inch Face, 14 Teeth, Header, 1910 Betty.
1119	10 00	Nut, Anchor, Brass, 2, Leveling Screw, 1910 Betty.
1120	4 00	Box, Four Way, 1 5/16, Leveling Device, 1910 Betty.
1121	3 25	Gear, Bevel, 26 Teeth, 1½ Face, 1 3/16, Leveling Device, 1910 Betty.
1122	1 50	Pinion, Bevel, 13 Teeth, 1½ inch Face, 1 5/16, Leveling Device, 1910 Betty.
1123	1 50	Pinion, Bevel, 13 Teeth, 1½ inch Face, 1 5/16, Leveling Device, 1910 Betty.
1124	1 00	Clutch, Double, 1 5/16, Pinions 1122 and 1123, Leveling Device, 1910 Betty.
1127	6 00	Segment, 3½ Face, 15 Teeth, Main Wheel, 1910 Betty.
1128	5 50	Pinion, 3½ Face, 14 Teeth, 1 15/16, 1910 Betty.
1129	17 50	Sprocket, 38 Teeth, 4½, 78 Chain, 1910 Betty.
1130	22 50	Hub, Grain Wheel, 2 7/16, 1910 Betty.
1131	3 00	Box, Three-Way, 1 3/16 and 1 5/16, Header, 1910 Betty.
1132	35	Cap, Box, 1131, 1 5/16, Header, 1910, Betty.
1133	35	Cap, Box, 1131, 1 3/16, Header, 1910 Betty.

No.	Price Each	
1134	1 00	Box, Solid, 2¼, Header, 1910 Betty.
1135	1 25	Sprocket, 8 Teeth, 1 5/16, 52 Chain, 1910 Betty.
1136	16 50	Hub, Main Wheel, 1 11/16, 1910 Betty.
1137	7 50	Head, Cylinder, Outside, 1 11/16, 1910 Betty.
1138	1 00	Guide, Pierson Draper Roller, 1910 Side-Hill Machines.
1139	1 50	Crank, Shoe, 1910 Gas Harvester.
1140	6 00	Sprocket, 34 Teeth, 1 11/16, 62 and 72½ Chain, 1910 Betty.
1142	6 00	Sprocket, 34 Teeth, 1 5/16, 78 Chain, 1910 Betty.
1143	1 00	Shaker, Shoe, 1 5/16, 1910 Gas Harvester.
1144	17 50	Hub, Grain Wheel, 2 7/16, 1910 Betty.
1145	6 50	Sprocket, 54 Teeth, 4½, 62 Chain, 1909 Betty Repairs.
1146	1 75	Sprocket, Adjustable, 10 Teeth, 1½ Sq. Shaft, 62 Chain, 1909 Betty Repairs.
1147	85	Bearing, Box, Solid, 1 7/16, Header, 1909 Betty Repairs.
1148	1 25	Housing, Adj. Box 1147, 1909 Betty Repairs.
1149	1 00	Box, Solid, Roller Bearing, 1910 Betty Front Wheel. Roller for 1194, .50.
1150	2 00	Sprocket, 13 Teeth, 1 5/16, 62 Chain, 1910 Betty.
1151	1 00	Head, Beater, 1 5/16, Feeder House, 1910 Betty. (Same as 785.)
1152	1 50	Sprocket, 9 Teeth, 1 3/16, 45 Chain, 1910 Betty.
1153	1 75	Sprocket, 12 Teeth, 1 5/16, 52 Chain, 1910 Betty.
1154	1 25	Box, Bracket, 1 7/16, 1910 Betty.
1155	35	Cap, Box 1154, 1 7/16, 1910 Betty.
1156	1 25	Bracket, Roller, 1910 Betty Header.
1157	30	Roller, 1156, ¾ Bolt, 1910 Betty Header.
1158	5 00	Pulley, 14 Dia. 3 Face, 1 5/16, Gas Harvester, 1910.
1159	1 00	Collar, Brass, 1 3/16, Leveling Screw, Top 1910 Betty.
1160	6 50	Box, Double, 1 11/16 and 2¼, 1910 Gas Harvester.
1161	1 25	Cap, Box 1160, 2¼, 1910 Gas Harvester.
1162	1 00	Cap, Box 1160, 1 11/16, 1910 Gas Harvester.
1163	50	Collar, Plain, Pierson Draper Roller.
1164	75	Collar, Flanged, Pierson Draper Roller.
1165	3 00	Pinion Bevel, 16 Teeth, 2¼ Face, 2¼, Gas Harvester 1910.
1166	4 50	Gear, Bevel, 30 Teeth, 2¼ Face, 1 5/16, Gas Harvester 1910.

No.	Price Each	
1167	4 50	Hinge, Grain Wheel Frame, 1 inch Pin, 1910 Betty.
1168	75	Tightener, Chain, uses Pulley 307, 1910 Betty.
1169	65	Fastener, Brake, Main Wheel Brake, 1½ Wrought Iron, 1910 Betty.
1170	3 00	Pinion, 13 Teeth, 3½ Face, 1 1/8, 1910 Betty.
1171	3 75	Sprocket, 22 Teeth, 1 7/8, 62 Chain, 1910 Betty.
1172	30	Sheave, 4¼ dia. 13-32, 1910 Betty.
1173	50	Block, Take Up, Stationary, 2¼x10⅛, Betty and Regular, 1910.
1174	50	Block, Take Up, Movable, 3¼x2⅛, Betty and Regular, 1910.
1175	1 00	Cap, 1 3/8, used with Nos. 12-B, 13-B, 441 and 442.
1176	1 00	Bracket, Tightener, Header, all 1910 Harvesters.
1177	2 50	Pulley, 6 diameter, 2¼ Face, 1 3/8, 1910 Steam Harvesters.
1178	1 00	Bracket, Draper Tightener, 1910 Harvester.
1179	75 00	Hub, 16x48 Wheel, Cast Steel, Logging Truck 6 inch Axle.
1180	4 00	Cap, Dust, Logging Truck, 6 inch Axle.
1181	4 00	Cap, Dust, Logging Truck, 5 inch Axle.
1182	50	Bearing, Draper Roller 1910 Harvesters.
1183	2 50	Sprocket, 15 Teeth, 2 7/8, 62 Chain, 1910 Level Land 40 inch Steam Harvester.
1184	1 25	Spool, Double, ⅞ Hole, 2¾ High, 1910 Logging Truck.
1185	7 50	Box, Solid, 3¼ Special, Steam Harvester.
1186	1 50	Head, Sickle, Malleable, all 1911 Harvesters.
1187	35	Collar, 1 inch wide, 2 inch Bull Pinion Shaft, 1911 Betty.
1188	17 50	Hub, 2¼, Grain Wheel, 1911 Betty.
1189	10 00	Sprocket, Clutch, 2¼, 38 Teeth, 78 Chain, Drives Header, 1911 Betty.
1190	2 75	Box, 2¼, Solid, Grain Wheel, 1911 Betty.
1191	2 00	Gear, Mitre, 1 1/8, 14 Teeth, 2 inch Face, 1911 Betty.
1192	7 00	Brass, 2 1/8, Wrist Pin, 8½x7 Aux. Engine, 1911 Steam Harvester.
1193	4 50	Cap, Brass, 2 1/8, No. 1192, Steam Harvester, 1911.
1194	2 00	Box, 2¼, Solid, Main Wheel, 1911 Betty.
1195	2 75	Box, 2¼, Solid, Main Wheel, 1911 Betty.

No.	Price Each	
1196	2 50	Box, 2¼, Solid, Main Wheel, 1911 Betty.
1197	3 00	Box, Three-Way, 1 3/16 and 1 5/16, 1911 Betty.
1198	2 00	Gear, Mitre, 1 3/16, 14 Teeth, 2 inch Face, 1911 Betty.
1199	3 00	Box, Double, 1 1/16, Cylinder and Cylinder Counter, 1911 Betty.
1200	1 75	Cap, 1 1/16, No. 1199.
1201	10 00	Gear, 1 1/16, Internal, 49 Teeth, 2¼ Face, Cylinder Counter, 1911 Betty.
1202	20 00	Hub, 2 5/16, Special.
1203	2 50	Cap, 2 1/16, No. 1106, Steam Harvester.
1204	75	Stake Iron, 3¼ wide, 1⅝ deep, Water Wagon.
1205	2 25	Guide, No. 1207, 1911 Gasoline Harvester.
1206	25 00	Hub, 2¼, Main Wheel, 1911 Betty.
1207	1 00	Box, 1 1/16, Self-Lining, Cylinder Shaft, 1911 Gasoline Harvester.
1208	1 25	Cap, 1 1/16, No. 1207, 1911 Gasoline Harvester.
1209	1 75	Box, 2¼, Header Give and Take, 1911 Betty.
1210	2 00	Pulley, 10x2¼, 1 5/16, Sacking Auger, 1911 Betty.
1211	25	Box, Header Spout, Lower End, 1911 Betty.
1212	75	Plate, Give and Take Shaft, 1911 Betty.
1213	25	Washer, 1911 Betty.
1214	75	Box, Straw Carrier, Right, 1 1/16, 1911 Betty.
1215	75	Box, Straw Carrier, Left, 1 1/16, 1911 Betty.
1216	2 00	Hub, Reel, 12 Arm, 1 5/16, 1911 Betty.
1217	25	Collar, 5/8 wide, 3 inch diameter, 1 1/16 hole, Internal Gear Shaft, 1911 Betty.
1218	2 50	Tightener, 88 Cylinder Drive Chain, 1911 Betty.
1219	100 00	Hub, Special, 60 inch Tire, 24 Spokes, 62 inch Bearing, 5 inch Straight Axle. Thomas & Ettlinger, Rio Vista.
1220	12 50	Box, Special, Hub, No. 1219, 5 inch shaft, 10 inches wide.
1221	50	Tightener, Cleaner Fan Chain, ¼ inch Gas Pipe Shaft, 1911 Steam Harvester.
1222	1 25	Tightener, Header Chain, 1911 Betty Best.
1223	1 00	Shifter, Clutch No. 1124, ¾ inch Gas Pipe Shaft, 1911 Betty Best.
1224	1 50	Pulley, Flange, 4 inch diameter, 2 inch face, Grain Carrier, 1911 Betty Best only.
1225	25	Washer, 1 1/16 Shaft, Cylinder Counter.
1226	3 00	Sliding Box Bracket, Header Counter Shaft.
1227	1 75	Box, 1 1/16 Shaft, Main Counter Shaft.
1228	1 75	Cap for No. 1127.
1229	2 50	Box Cylinder Shaft, Roller Bearing, 1 1/16 Shaft.
1230	2 50	Cap for No. 1229.

No.	Price Each	
1231	2 00	Saddle for Box 1229.
1232	7 00	Internal Gear, 49 T, 3 P, 2¼ F, 1 11/16 Shaft.
1233	50	Separator Shoe Hanger, right hand.
1234	50	Separator Shoe Hanger, left hand.
1235	25	Pitman Stud, 1 inch Pin, shakes Cheat Screen.
1236	25	Bluff Board, Gudgeon Pin.
1237	25	Pivot Clamp, Cleaner Shake.
1238		Not used.
1239	25	Bottom Pivot Box, Double Cleaner Shake.
1240	1 00	Cheat Screen Shake Lug, both sides 1 5/16 inch Shaft.
1241		Not used.
1242	3 50	Bull Wheel Box, 2¼ Shaft, 6¼ Bearing.
1243	25	Washer, ⅝ inch, for Guide Wheel Frame.
1244	25	Washer, ⅝ inch, for Guide Wheel Frame.
1245	75	Separator, Pitman Slide Pin.
1246	25	Washer, ⅝ inch, for Wood Frame Brace.
1247	2 00	Bracket Box, Cylinder Shaft, 1 11/16 Shaft.
1248	2 50	Sprocket, 16 Teeth, 52 Chain, 1⅜ Bore, with Pin 1⅜x1⅞, to shake Separator Shoe and Cheat Screen on Cleaner.
1249	10 00	Hub Lead Wheel, 1 11/16 Bore, 10¼ inch Bearing, 10—⅝ Spokes.
1250	50	Top Pivot Box, Double Cleaner Shake.
1251	3 50	Sliding Box Outside Plate, main Counter Shaft.
1252	2 00	Sliding Box Plate inside, main Counter Shaft.
1253	3 00	Sprocket, 22 Teeth, 62 Chain, 1 11/16 Bore.
1254	1 25	Sheat Screen Shaker Arm, 1⅜ inch Bore.
1255	1 00	Chain Arm, supporting Screen, 1 5/16 Core for 1 inch Pipe.
1256	1 50	Shoe Shake Lug, 1 3/16 Bore, left hand.
1257	1 50	Shoe Shake Lug, 1 3/16 Bore, right hand.
1258	1 75	Square Casting on end of Auger Box for Sheet Iron Elevators.
1259		Not used.
1260	4 00	Sprocket, 22 Teeth, 62 Chain, 1 11/16 Shaft, with clutches on both sides.
1261	2 50	Collar, 4 inch, dia. 1 11/16 inch, 1 11/16 Bore. To go between Cylinder Box and Fan Pulley.
1262	5 00	Pulley, Fan Drive, 6 inch dia., 3¼ Face, 1 11/16 Shaft, 2 3/16 Bearing Lagged.
1263	1 00	Auger Box, 1 1/16 Bore.
1264	1 25	Auger Box, 1 5/16 Bore.
1265	1 25	Ratchet Disc for top of Leveling Device. Upright Bracket Shaft, 1 3/16 Bore.

1266	1 50	Tightener Sleeve Holder, Header Chain Drive, 1¾ Bore.
1267	50	Beater and Grain Carrier Box, 1 3/16 Shaft.
1268	75	Cap for No. 1267.
1269	50	Box for Beater, 1 5/16 Shaft.
1270	75	Cap for Nos. 1269 and 1271.
1271	50	Fan Box, 1 5/16 Shaft.
1272	25	Separator Shoe Hanger.
1273	1 50	Weight for Header Chain Tightener.
1274	3 00	Lead Wheel Box, 1 1/16 Shaft.
1275	1 25	Socket Bracket on Grain Wheel Frame.
1276	1 50	Shifter Lever on Leveling Device Bracket.
1277	2 50	Disc on Cleaner Shaft, 3½ inch Diameter, 1 5/16 Bore.
1278	1 00	Jackson Feeder Idler Pulley, 1 1/16 Shaft, 3 inch Diameter.
1279	1 00	Box for Cleaner Shake, each side, ½ Pipe Shaft.
1280	3 00	Large Cleaner Weight, 6¼ in. x 10 in. x 2⅞ in.
1281	1 00	Bottom Box on Sheet Iron Elevators, 1 5/16 inch Bore.
1282	1 50	Tightener Box, Frame Guide, Sheet Iron Elevators, 1 5/16 Bore.
1283	2 00	Weight.
1284	2 00	Sprocket Upper Beater Drive, 10 Tooth, 1 3/16 Shaft, 62 Chain.
1285	3 00	Sprocket, 26 Tooth, 1 3/16 Shaft, 62 Chain to drive Straw Carrier on Beater Shaft.
1286	1 50	Tightener Sleeve, Header Drive Chain, 1 1/16 Shaft.
1287	50	Cleaner Shake Bracket.
1288	1 75	Box, 1 5/16 Bore, Leveling Device.
1289	50	Angle Hinge, ¾ Core, ⅝ Rod, Header Frame.
1290	50	Angle Hinge, ¾ Core, ⅝ Rod, Header Frame.
1291	1 25	Cap for No. 1298, 1 7/16x5½ inch long.
1292	1 25	Cap for No. 1298, 1 3/16 Bore by 4⅜ inches long.
1293	1 25	Cap for No. 1298, 1 3/16 Bore by 2½ inches long.
1294	1 25	Cap for No. 1298, 1 3/16 Bore by 2½ inches long.
1295	1 50	12 tooth Sprocket, Idler, ½ inch Pipe Shaft, ⅞ inch Core, 62 Chain.
1296	25	Angle Washer, ⅞ Core.
1297	25	Angle Washer, ⅞ Core.
1298	8 00	5 Box Bracket, 1 3/16 and 1 7/16 Bore. Uses Caps 1291, 1292, 1293 and 1294.
1299	50	Box for Shoe Hanger, ½-inch Bore.
1300	3 75	Shifter, Leveling Device.
1301	2 00	Double jawed Clutch, Leveling Device, 1 3/16 Bore.

No.	Price Each	
1302	2 25	Worm Gear, Leveling Device, 17 Teeth, 1 inch F, 1 5/16 C. P. 7.105 P. D., 1 7/16 Bore.
1303	75	Shaker Crank for Cleaner.
1304	1 25	12 Tooth Sprocket, Idler, 52 Chain, ½ inch Pipe Shaft.
1305	1 50	Worm Pinion, 1 5/16 C. P., 1 3/16 Bore, Leveling Device.
1306	1 75	Gear Rack, Leveling Device.
1307	25	Washer for Spring.
1308	2 25	13 Tooth Sprocket, 62 Chain, 1 3/16 Bore, 1 7/8 Bearing, 5/16 Key Way.
1309	2 00	10 Tooth Sprocket, 52 Chain, 1 3/16 Bore, 5/16 Key Way, 1 9/16 Bearing.
1310	1 75	Bevel pinion, 13 T., 3 P., 1½ inch Face, 1 3/16 Bore, with left hand Clutch for Leveling Device.
1311	1 75	Bevel Pinion, 13 T., 3 P., 1½ Face, 1 3/16 Bore. With right hand Clutch for Leveling Device.
1312		Clutch Pulley, 15 inch Diameter, ½ Face, 4¾ Shaft, Gas Harvester 1912. Not used.
1313	2 00	Cleaner Weight, 4½x2½x6½ inch.
1314	2 00	Cleaner Weight, 3x2½x6½ inch.
1315	3 25	Weight Steamer Belt Tightener, 4x3½x8 inch.
1316	25	Double Bevel Washer for Weight Timbers.
1317	1 50	Eye Casting for Give and Take Bar on Header.
1318	3 00	30 Tooth Sprocket, 52 Chain, 1 3/16 Bore Key Way.
1319	3 00	Pulley, 3 inch Face, 7 inch Diameter.
1320	3 00	Special Sprocket, 20 Teeth, 62 Chain, 1 5/16 Bore.
1321	1 50	Box for Header Drive, 1 7/16 Bore.
1322	3 00	Sprocket, 20 Teeth, 62 Chain, 1 1/16 Bore.
1323	3 00	Sprocket, 22 Teeth, 62 Chain, 1 7/16 Bore.
1324	3 50	Sprocket, 30 Teeth, 52 Chain, 1 7/16 Bore
1325	2 25	Sprocket, 12 Teeth, 62 Chain, 1 1/16 Bore.
1326	1 25	Tightener, ¼ Pipe Project, 6 inch.
1327	1 75	Sprocket, 10 Tooth, 52 Chain, 1 5/16 Bore.
1329	22 00	Clutch Pulley, 15½ inch Diameter, 8½ inch Face, 5 inch Bearing, 3⅜ Bore.
1330	6 00	Sprocket, 34 Teeth, 72 Chain, 1 7/16 Bore.
1331	1 00	Sprocket, 7 Teeth, 52 Chain, 1 1/16 Bore, 2 7/16 inch Bearing, with two countersunk set screws. For Cylinder Beater or Feeder Chain.
1332	4 50	Strap for Clutch.
1333	2 50	Special Ratched Disc, top of Leveling Device Upright Bracket, Shaft 1 Teeth, 1 3/16 inch Bore. To replace No. 1265.

No.	Price Each	
1334	12 00	Hub, 2 7/16 inch Bore, 16 inch Bearing, 20 3/4 inch Spokes, 15 inch Tire.
1335	2 50	Sprocket, 15 Teeth, 62 Chain, 1 3/16 Bore, Betty 1911.
1336	2 25	Sprocket, 14 Teeth, 62 Chain, 1 3/16 Bore, Betty 1911.
1337	2 00	Worm Gear, 1 7/16 Bore, 1 inch C. P., 22 T., 1 inch F., with right hand Clutch for Leveling Device. To be used in place of No. 1302. S. L. Special 1912.
1338	1 75	Worm Pinion, 1 C. P., 1 3/16 Bore, Leveling Device. S. L. Special 1915. To replace No. 1305.
1339	1 25	Eye Casting, 7/8 Core, for A Frame. S. L. Special 1913.
1340	8 50	Sprocket, 38 Teeth, 78 Chain, 1 15/16 Bore, 4 3/16 Bearing. Clutch on one side. S. L. Special 1912.
1341	50	Take up Block for Bull Wheel Box. S. L. Special 1913.
1342	75	Take up Block for Bull Wheel Box. S. L. Junior and Senior 1913.
1343	1 25	Box for Main Counter Shaft, 1 11/16 inch Shaft. All 1913 Machines.
1344	1 25	Box for Main Pinion Shaft, 1 15/16 inch Shaft. Junior and Senior 1913.
1345	50	Angle Hinge for Header Frame, 3/4 Core, 5/8 Rod. Junior and Senior 1913.
1346	50	Straight Hinge for Header Frame, 3/4 Core, 5/8 Rod. Junior and Senior 1913.
1347	2 25	Box for Lead Wheel, 2 7/16 Bore. 1913 Gas Harvester.
1348	1 50	Concave Crank, 1 inch rough iron. All 1913 Machines.
1349	3 00	Eye Casting for Header Pull Iron. All 1913 Machines.
1350	1 00	Tightener Main Drive Chain. No longer used.
1351	75	Shaker Crank for Cleaner. All 1913 Machines.
1352	50	Fan Box, 1 3/16 Shaft. All 1913 Machines.
1353	1 75	Fan Pulley, 8 inch Diameter, 3 1/4 Face, 1 3/16 Bore.
1354	34 00	Clutch Pulley, 18 inch Diameter, 8 1/2 Face, 5 Shaft, 5 1/2 Bore. Gas Harvester 1913.
1355	1 50	Socket Casting for Header Post. All 1913 Machines.
1356	4 00	Bronze Bushing for No. 1354, 5 inch Bore, 5 1/4 long. Gas Harvester 1913.

No.	Price Each	
1357	1 00	Box Counter Shaft, 1 1/16 Shaft, 5 inch Bearing, 5/8 Bolts. All 1913 Machines.
1358	75	Cap for No. 1357. All 1913 Machines.
1359		Bevel Washer for Pull Bar. All 1913 Machines.
1360	1 75	Tghtener Main Drive Chain, 1 5/16 Shaft. All 1913 Machines.
1361	3 50	Strap for Clutch Shifter, 4 13-32 Bore. Gas Harvester 1913.
1362	14 00	Pulley for Cylinder Drive, 12 inch Diameter, 10 inch Face, 1 1/16 Bore. Gas Harvester 1913.
1363	8 50	Sprocket, 54 Teeth, 72½ Chain, 1 1/16 Bore. Gas Harvester 1913.
1364	1 75	Sprocket, 18 Teeth, 52 Chain, 1 3/16 Bore. All Machines 1913.
1365	2 25	Sprocket, 20 Teeth, 52 Chain, 1 3/16 Bore. S. L. Special 1913.
1366	1 25	Sprocket, 8 Teeth, 52 Chain, 1 1/16 Bore, 2¼ Bearing. Gas Harvester 1913.
1367	10 00	Sprocket, 38 Teeth, 78 Chain, 1 1/16 Bore, 4 inch Bearing, ½ inch Key. Gas Harvester 1913.
1368	1 25	Auger Box 1 5/16 Bore. Gas Harvester 1913.
1369	1 50	Clutch Shifter. Junior and Senior Harvester Model 1913.
1370	5 75	Box for Counter Shaft Grain Wheel Frame 1 1/16 Bore, 10 Bearing. Senior Gas Harvester 1913.
1371	3 50	Cap for No. 1370. Senior Gas Harvester 1913.
1372	3 00	Universal Joint, 1 5/16 Bore, ½ inch Pin, Header Drive. Gas Harvester 1913.
1373	3 00	Universal Joint, ¾ inch Pin, Header Drive, 1 1/16 Bore. Gas Harvester 1913.
1374	1 25	Universal Joint, Center Piece Header Drive. Gas Harvester 1913.
1375	2 25	Sprocket, 15 Teeth, 62 Chain, 1 5/16 Bore, 2 7/16 Bearing, 3/8 Slip Key. Gas Harvester 1913.
1376	2 50	Clutch, 2¼ Bore. Takes place of No. 1189. Gas Harvester 1913.
1377	2 00	Sprocket, 8 Teeth, 52 Chain, 4 inch Bearing, 1 5/16 Bore, Chamber Core. Gas Harvester 1913.
1378	3 25	Universal Joint, Header Drive, 1 5/16 Bore, ¾ Pin. Gas Harvester 1913.
1379	17 50	

SHAFTING FOR "BETTY BEST" SIDE HILL MACHINE—1910.

	Price
Agitator, 1 1/16x2 ft. 10 5/16 in	$ 1 50
Automatic Header Tipping, 1 1/16x1 ft. 1 1/4 in	1 00
Automatic Header Tipping Screw, 1 5/16x2 ft. 6 in	3 50
Cleaner Fan, 1 1/16x2 ft. 11 1/8 in	1 50
Cleaner Shoe, 1 5/16x3 ft. 1 in	1 50
Cleaner Shoe Leveling, 1 1/16x2 ft. 10 5/8 in	1 50
Cylinder, 1 1/16x3 ft. 2 3/4 in	6 00
Cylinder Counter, 1 1/16x3 ft. 1/2 in	6 00
Extension Straw Carrier, 1 1/16x 2 ft. 7 3/4 in	1 25
Extension Straw Carrier, 1 1/16x2 ft. 10 in	1 25
Feeder, back, 1 1/16x3 ft. 2 1/8 in	1 50
Feeder, front, 1 1/16x2 ft. 2 1/4 in	1 00
Front Wheel, 1 1/16x1 ft. 9 1/8 in	3 25
Give and Take, 2 1/8x4 ft. 0 in	4 75
Grain Carrier, 1 1/16x3 ft. 2 in	2 75
Grain Carrier Counter, 1 5/16x3 ft. 6 1/8 in	1 75
Grain Carrier Tightener, 1 1/16x2 ft. 11 7/8 in	2 00
Grain Elevator, 1 1/16x1 ft. 3 1/8 in	1 00
Grain Wheel, 2 7/16x2 ft. 6 5/8 in	6 50
Header Counter, 1 5/16x2 ft. 1 3/4 in	2 50
Header Drum, 1 5/16x3 ft. 10 in	2 00
Header Drive, 1 1/16x3 ft. 4 in	6 00
Header Wheel, 1 1/16x1 ft. 9 in	2 50
Leveling, 1 5/16x4 ft. 1 5/8 in	2 25
Lower Beater, 1 3/16x3 ft. 4 1/2 in	3 00
Main Pinion, 1 1/16x1 ft. 11 5/8 in	3 75
Main Wheel, 1 1/16x4 ft. 1/2 in	6 00
Nail Picker, 1 5/16x3 ft. 9 3/4 in	1 25
Pilot Wheel, 1 5/16x0 ft. 10 5/8 in	1 00
Reel Counter, 1 5/16x1 ft. 10 in	1 00
Return Elevator, 1 1/16x1 ft. 1 in	1 00
Sacking Elevator, 1 5/16x1 ft. 1 1/8 in	1 00
Screw, 2x5 ft. 3/4 in	17 50
Separator Fan, 1 5/16x3 ft. 1 3/8 in	1 50
Separator Shoe, 1 5/16x3 ft. 1 1/8 in	1 25
Sickle, 1 3/16x4 ft. 3 1/4 in	2 50
Sickle Counter, 1 3/16x1 ft. 10 in	1 75
Spider, 1 5/16x0 ft. 11 5/8 in	1 00
Straw Carrier, 1 1/16x2 ft. 11 3/4 in	1 50
Top Draper, front, 1 1/16x3 ft. 9 3/4 in	1 50
Top Draper, rear, 1 1/16x2 ft. 10 1/2 in	1 50
Upper Beater, 1 3/16x3 ft. 2 1/4 in	3 00

SHAFTING FOR "BETTY BEST" SIDE HILL MACHINE—1911.

	Price
Agitator, 1⅛x2 ft. 10 5/16 in	$ 1 50
Automatic Header Tipping, 1⅛x1 ft. 1¼ in	1 00
Automatic Header Tipping Screw, 1 5/16x2 ft. 6 in	3 50
Cleaner Fan, 1⅝x2 ft. 11⅛ in	1 50
Cleaner Shoe, 1⅝x3 ft. 1 in	1 50
Cleaner Shoe Leveling, 1⅝x 2 ft. 10⅝ in	1 50
Cylinder, 1 1/16x3 ft. 1⅜ in	6 00
Cylinder Beater, 1⅝x4 ft. 3⅛ in	2 25
Cylinder Counter, 1 1/16x3 ft. 2 in	6 00
Extension Straw Carrier, 1⅛x2 ft. 10 in	1 25
Extension Straw Carrier, 1⅛x2 ft. 7¾ in	1 25
Feeder Back, 1⅝x3 ft. 2⅛ in	1 50
Feeder Front, 1⅛x2 ft. 2¼ in	1 00
Front Wheel, 1 1/16x1 ft. 9⅛ in	3 25
Give and Take, 2⅛x4 ft. 0 in	4 75
Grain Carrier, 1⅝x3 ft. 2 in	2 75
Grain Carrier Counter, 1⅛x3 ft. 3 in	1 75
Grain Carrier Tightener, 1⅛x2 ft. 11⅞ in	2 00
Grain Elevator, 1⅝x1 ft. 5¾ in	1 00
Grain Wheel, 2¼x2 ft. 6¼ in	6 50
Header Counter, 1 5/16x2 ft. 1¾ in	2 50
Header Drum, 1⅛x3 ft. 10 in	2 00
Header Drive, 1 1/16x3 ft. 4 in	6 00
Header Wheel, 1 1/16x1 ft. 9 in	2 50
Leveling, 1⅝x4 ft. 1⅝ in	2 25
Lower Beater, 1 3/16x3 ft. 4½ in	3 00
Main Pinion, 1 1/16x2 ft. 2½ in	3 75
Main Wheel, 2¼x4 ft. 3⅝ in	6 00
Picker, 1⅛x2 ft. 9¾ in	1 50
Pilot Wheel, 1⅝x 0 ft. 10⅝ in	1 00
Reel Counter, 1⅝x1 ft. 10 in	1 00
Return Elevator, 1⅝x1 ft. 7⅜ in	1 00
Sacking Elevator, 1⅝x1 ft. 3¾ in	1 00
Screw, 2x5 ft. 2¾ in	17 50
Separator Fan, 1⅝x3 ft. 1⅜ in	1 50
Separator Shoe, 1⅝x3 ft. 1⅛ in	1 25
Separator Shoe Counter, 1 3/16x2 ft. 2½ in	2 50
Sickle, 1 5/16x4 ft. 3¼ in	2 50
Sickle Counter, 1 3/16x1 ft. 10⅜ in	1 75
Straw Carrier, 1⅛x 2 ft. 11¾ in	1 50
Top Draper, front, 1⅛x3 ft. 9¾ in	1 50
Top Draper, rear, 1⅛x 2 ft. 10½ in	1 50
Upper Beater, 1 5/16x5 ft. 10¼ in	4 50

SHAFTING FOR SAN LEANDRO SPECIAL SIDE HILL MACHINES, 1912 MODEL.

	Price
Cheat Screen, 1 5/16x38 1/8 in.	$ 2 50
Cleaner Fan, 1 5/16x40 3/4 in.	1 75
Cleaner Riddle Leveling, 1 5/16x37 1/2 in.	2 50
Cylinder Beater, 1 5/16x49 1/2 in.	2 25
Cylinder Counter, 1 11/16x30 3/4 in.	5 00
Extension Straw Carrier, 1 11/16x35 3/8 in.	1 25
Feeder, 1 5/16x41 3/4 in.	2 50
Feeder Tightener, 1 11/16x26 7/8 in.	1 00
Grain Carrier Tightener, lower, 1 11/16x32 1/8 in.	1 00
Grain Carrier, upper, 1 3/16x3 ft. 10 3/4 in.	3 50
Grain Wheel, 2 1/4x30 3/8 in.	5 50
Header Drum, 1 5/16x47 5/8 in.	2 75
Lower Beater, 1 5/16x38 1/8 in.	1 50
Main Counter or Separator Drive, 1 11/16x3 ft. 10 in.	5 00
Main Header Drive, 1 11/16x26 3/4 in.	5 00
Main Pinion, 1 1/8x26 5/8 in.	3 75
Main Wheel, 2 1/4x4 ft. 3 in.	6 00
Picker, 1 11/16x35 3/8 in.	1 50
Pilot Wheel, 1 5/16x10 5/8 in.	1 00
Separator Fan, 1 5/16x3 ft. 5 1/4 in.	2 00
Sickle Disc, 1 7/16x48 in.	2 50
Straw Carrier, 1 11/16x36 7/8 in.	1 00
Straw Carrier Picker, 1 5/8x35 1/4 in.	1 50
Upper Beater, 1 3/16x3 ft. 5 1/4 in.	3 50

SHAFTING FOR JUNIOR SIDE HILL MACHINES, 30 INCH SEPARATOR, 1912 MODEL.

Agitator Shaft, 1 11/16x42 1/2 in.	1 50
Bevel Gear Shaft in Yoke, 1 3/16x21 1/2 in.	2 25
Cheat Screen Shake Shaft, 1 5/16x46 3/4 in.	1 75
Cleaner Counter Shaft, 1 5/16x9 ft. 9 in.	2 25
Cleaner Fan Shaft, 1 5/16x47 1/2 in.	1 75
Cleaner Shoe Leveling Shaft, 1 5/16x44 5/8 in.	1 75
Cleaner Shoe Shaker Shaft, 1 5/16x4 ft. 4 in.	1 75
Concave Hanger Rod, 1 5/16x41 in.	1 00
Cylinder Beater Shaft, 1 5/16x34 1/2 in.	1 25
Cylinder Shaft, turned, 1 11/16x5 ft. 11 in.	5 50
Grain Wheel Shaft (16 in. Wheel), 2 7/16x3 ft. 5 in.	5 00
Internal Gear or Bull Pinion Shaft, 2 1/4x34 1/2 in.	5 00
Jack Wheel Shaft, 1 5/16x41 in.	3 25
Long Feeder Shaft, 1 5/16x36 in.	1 75
Lower Beater Shaft (over Grain Carrier), 1 5/16x45 1/2 in.	3 50
Lower Grain Carrier Shaft, 1 11/16x36 1/2 in.	1 75

	Price
Main Header Counter Shaft, 1 5/16 x5 ft. 9 in.	3 00
Main Wheel Shaft (22 in. Wheel), 2 7/16 x33¼ in.	5 00
Pilot Wheel Shaft, 1 5/8 x11½ in.	1 00
Separator Fan Shaft, 1 5/8 x3 ft. 10½ in.	2 25
Separator Shoe Shaft, 1 5/8 x4 ft. 1 in.	1 75
Short Feeder Shaft, 1 1/8 x28 in.	1 00
Spike Picker Shaft, 1 5/8 x43 in.	1 50
Steer Wheel Shaft, 1 5/16 x29 in.	2 25
Straw Carrier Shaft, 1 1/8 x41⅞ in.	2 00
Three-Corner Beater Shaft, 1 1/8 x42½ in.	1 50
Upper Beater Shaft (over Grain Carrier), 1 5/8 x44½ in.	3 50
Upper Grain Carrier Shaft, 1 5/8 x53¾ in.	4 00
Upper Grain Elevator Shaft, 1 1/8 x16 in.	1 00
Upper Return Elevator Shaft, 1 1/8 x17¾ in.	1 00
Worm Gear Shaft, 1 1/16 x7 ft. 10 in.	9 00
Worm Gear Shaft, 1 3/16 x18 in.	1 60

SHAFTING FOR SPECIAL MACHINE.

1913 Model.

Main Wheel, 2¼ in. x 2 ft. 11½ in. long.	5 00
Grain Wheel, 2¼ in. x. 2 ft. 6½ in. long.	5 00
Steer Wheel, 1 1/8 x19¾ in. long.	2 25
Main Wheel Pinion, 1 1/8 x2 ft. 4¾ in. long.	4 75
Cylinder Counter, 1 1/8 x2 ft.11 ¾ in. long.	3 50
Main Counter, 1 1/16 x 3 ft. 11¾ in. long.	2 50
Header Drive, 1 1/16 x 2 ft. 2½ in. long.	2 00
Worm, 1 7/16 x 6 ft. 5¾ in. long.	3 00
Upper Grain Carrier, 1 3/16 x3 ft. 11¾ in. long.	3 00
Upper Beater, 1 3/16 x 3 ft. 7 in. long.	3 75
Sep. Fan, 1 3/16 x3 ft. 6¼ in. long.	1 50
Sep. Shoe, 1 3/16 x4 ft.	1 50
Bevel Gear, 1 3/16 x16½ in. long.	1 00
Bevel Pinion, 1 3/16 x19¼ in. long.	1 00
Cleaner Fan, 1 5/8 x3 ft. 3½ in. long.	1 25
Cleaner Cheat Screen, 1 5/8 x3 ft. ¼ in. long.	1 50
Cleaner Shoe Leveling, 1 5/8 x3 ft. 1½ in. long.	1 25
Nail Picker, 1 5/8 x2 ft. 11¼ in. long.	1 25
Lower Beater, 1 5/8 x3 ft. 1 in. long.	2 00
Feeder, 1 5/8 x3 ft. 5¾ in. long.	1 50
Cylinder Beater, 1 5/8 x4 ft. 3 in. long.	1 00
Pilot Wheel, 1 5/8 x10¼ in. long.	1 00
Grain Elevator, 1 5/8 x14½ in. long.	1 00
Return Elevator, 1 5/8 x12 in. long.	1 00
Sacking Elevator, 1 5/8 x12 in. long.	1 00
Front Straw Carrier, 1 1/8 x3 ft. 2½ in. long.	1 50
Rear Straw Carrier, 1 1/8 x3 ft. 1¾ in. long.	1 50

	Price
Extension Straw Carrier, 1⅛x2 ft. 11½ in. long	1 00
Grain Carrier Take up, 1⅛x2 ft. 8 in. long	75
Feeder Take up Shaft, 1⅛x2 ft. 3 in. long	75
Front Spiked Picker, 1⅛x2 ft. 11½ in. long	1 50
Back Spiked Picker, 1⅛x2 ft. 11½ in. long	1 50
Header Shafting	2 50
Header Sickle, 1 3/16x 4 ft. 5 in. long	2 50
Bevel Gear Shafting, Short, 1 3/16x19 in. long	1 00
Bevel Gear Shafting, Long, 1 3/16x27 in. long	1 50
Reel Counter, 1⅛x27½ in. long	1 00
Header Drum, 1⅝x3 ft. 11¾ in. long	2 00
Header Wheel, 1⅝x28 in. long	2 50

SHAFTING FOR STANDARD HORSE-POWER MACHINES, 40 INCH SEPARATOR 1900-3, 4, 5, 6, 7, 8, 9, MODEL.

Steer Wheel Shaft, 1⅝x29 in.	$ 2 25
Main Header Counter Shaft, 1 5/16x6 ft. 4½ in.	3 00
Cleaner Counter Shaft	1 50
Grain Wheel Shaft (16 in. Wheel), 2 7/16x28⅝ in.	4 75
Grain Wheel Shaft (18 in. Wheel), 2 7/16x30⅝ in.	5 00
Grain Wheel Shaft (20 in. Wheel), 2 7/16x32⅝ in.	5 25
Grain Wheel Pinion Shaft, 2⅛x16⅛ in.	6 75
Main Wheel Shaft (18 in. Wheel), 2 7/16x32½ in.	5 75
Jack Wheel Shaft (2 in. longer in 1902), 1⅝x42½ in.	3 25
Concave Hanger Rod, 1x46 in. (iron)	1 00
Internal Gear on Bull Pinion Shaft, 1⅝x55½ in.	5 00
Shoe Shaft, 1⅛x45 in.	1 75
Upper Grain Carrier Shaft, ⅛x4 ft. 9 in.	4 00
Lower Grain Carrier Shaft, ⅛x47¼ in.	1 75
Separator Fan Shaft, ⅛x4 ft. 3¼ in.	2 50
Spike Picker Shaft, ⅛x49 in.	1 75
Three-Corner Beater Shaft, ⅛x46½ in.	1 50
Agitator Shaft, ⅛x48⅝ in.	1 50
Straw Carrier Shaft, ⅛x41¼ in.	2 00
Long Feeder Shaft, ⅛x39¾ in.	2 00
Short Feeder Shaft, ⅛x33½ in.	1 50
Cylinder Beater Shaft, ⅛x38⅝ in.	2 50
Upper Beater Shaft (over Grain Carrier), ⅝x4 ft. 2⅝ in.	2 75
Lower Beater Shaft (over Grain Carrier), ⅛x4 ft. 2¾ in.	2 00
Cylinder Shaft, 1¾ in., finished, 1⅛x63 in.	5 50
Cleaner Fan Shaft, ⅛x60½ in.	2 25
Cleaner Counter Shaft, turned ¾ in. one end, ⅛x8½ in.	2 25
Cleaner Cheat Shaker Shaft, ⅞x 2 ft. 7 in.	1 00
Cleaner Shoe Shaker Shaft, point on each end, ⅛x18¾ in.	1 50

	Price
Upper Grain Elevator Shaft, 1 1/16x17 3/4 in	1 50
Upper Return Elevator Shaft, 1 1/16x16 1/2 in	1 50

HEADER SHAFTING.

Header Counter Shaft, 1 5/16x54 7/8 in	3 25
Header Drum Shaft, 1 5/16x48 in	3 25
Sickle Disc Shaft, 1 3/16x 5 ft. 3 in	2 50
Counter Shifter Shaft, 1 3/16x18 3/8 in	2 75
Reel Counter Shaft, 1 3/16x32 1/2 in	3 00
Header Wheel Shaft, 1 1/16x24 in	2 50
Header Hook Shaft, 1 5/16x16 1/4 in	2 00

SHAFTING FOR 1906-09 SENIOR SIDE HILL MACHINES

*Steer Wheel, 1 5/16x24 7/8 in	2 75
Grain Wheel, 16 in., 1 1/16x36 1/2 in	4 75
Grain Wheel, 18 in., 1 1/16x38 1/2 in	5 00
Grain Wheel, 20 in., 1 1/16x40 1/2 in	5 25
Grain Wheel Counter, 1 1/16x17 in	2 00
Main Wheel, 20 in., 2 7/16x51 1/2 in	5 25
Main Wheel, 22 in., 2 7/16x53 1/2 in	5 50
Main Wheel, 24 in., 2 7/16x55 3/4 in	5 75
Concave Hanger Rod, Iron, 1x51 3/8 in	1 00
Internal Gear or Bull Pinion, 20 in. Wheel, 1 1/16x38 in	5 00
Internal Gear or Bull Pinion, 22 in. Wheel, 1 1/16x40 in	5 25
Internal Gear or Bull Pinion, 24 in. Wheel, 1 1/16x42 in	5 50
Separator Shoe, 1 5/16x52 1/2 in	1 75
Upper Grain Carrier, 1 5/16x52 5/8 in	4 00
Lower Grain Carrier, 1 1/16x47 1/4 in	1 75
Grain Carrier Drive, 1 5/16x59 1/8 in	1 25
Separator Fan, 1 5/16x50 in	2 50
Three-Corner Beater, 1 1/16x47 3/4 in	1 50
Agitator, 1 1/16x48 3/8 in	1 50
Straw Carrier, 1 1/16x47 1/2 in	2 00
Long Feeder, 1 5/16x51 1/16 in	2 00
Short Feeder, 1 1/16x47 in	1 50
Upper Beater, over Grain Carrier, 20 in. Wheel, 1 3/16x86 7/8 in	4 00
Upper Beater, over Grain Carrier, 22 in. Wheel, 1 3/16x88 7/8 in	4 00
Upper Beater, over Grain Carrier, 24 in. Wheel, 1 3/16x90 7/8 in	4 25
Lower Beater, over Grain Carrier, 1 5/16x56 1/4 in	1 75
Cylinder Shaft, 1 1/16x51 1/4 in	5 50

	Price
Cleaner Fan, 1 5/8x51 5/8	1 75
Cleaner Shoe, 1 5/8x53 in	1 75
Upper Grain Elevator, 1 1/8x14 1/4 in	1 00
Upper Return Elevator, 1 1/8x14 in	1 00
*Worm Gear Shaft, 1 7/16x89 3/4 in	9 00
Cylinder Counter Shaft, 20 in. Wheel, 1 1/16x37 7/8 in	5 00
Cylinder Counter Shaft, 22 in. Wheel, 1 1/16x39 7/8 in	5 25
Cylinder Counter Shaft, 24 in. Wheel, 1 1/16x41 7/8 in	5 25
Worm Pinion Shaft, 1 3/16x68 7/8 in	3 50
1906 Pilot Wheel Shaft, 1 5/8x79 7/8 in	1 25
1907 Pilot Wheel Shaft, 1 5/8x15 in	75
Cleaner Balance Weight Shaft, 1 5/8x49 in	75
Spike Picker Shaft, 1 5/8x48 in	75

HEADER SHAFTING.

Main Counter Shaft, 1 5/16x54 7/8 in	3 25
Header Drum Shaft, 1 1/16x48 in	3 25
Sickle Disc Shaft, 1 3/16x63 in	2 50
Counter Shifter Shaft, 1 3/16x18 3/8 in	2 75
Reel Counter Shaft, 1 3/16x32 1/2 in	3 00
Header Wheel Shaft, 1 1/16x24 in	2 50
Header Hook Shaft, 1 5/16x16 1/4 in	2 00

*All Shafting marked with a Star are the same length and size in all Machines.

SHAFTING FOR JUNIOR SIDE-HILL MACHINES, 36 INCH SEPARATOR, 1903 MODEL.

Steer Wheel Shaft, 1 1/16x29 in	$ 2 25
Main Header Counter Shaft, 1 7/16x5 ft. 9 in	3 00
Cleaner Counter Shaft, 1 5/8x9 ft. 9 in	2 25
Grain Wheel Shaft (16 in. Wheel), 2 7/16x3 ft. 5 in	5 00
Main Wheel Shaft (22 in. Wheel), 2 7/16x33 1/4 in	5 00
Jack Wheel Shaft, 1 1/8x41 in	3 25
Concave Hanger Rod, 1x36 in	1 00
Internal Gear or Bull Pinion Shaft, 2 1/4x34 1/2 in	5 00
Separator Shoe Shaft, 1 5/8x4 ft. 1 in	1 75
Upper Grain Carrier Shaft, 1 5/8x53 3/4 in	4 00
Lower Grain Carrier Shaft, 1 1/8x36 1/2 in	1 75
Separator Fan Shaft, 1 5/8x3 ft. 10 1/2 in	2 25
Spike Picker Shaft, 1 5/8x43 in	1 50
Three-Corner Beater Shaft, 1 1/8x42 1/2 in	1 50
Agitator Shaft, 1 1/8x42 1/2 in	1 50
Straw Carrier Shaft, 1 1/8x41 7/8 in	2 00
Long Feeder Shaft, 1 5/8x36 in	1 75
Short Feeder Shaft, 1 1/8x28 in	1 00
Cylinder Beater Shaft, 1 5/8x34 1/2 in	1 25

	Price
Upper Beater Shaft (over Grain Carrier), 1⅝x44½ in	3 50
Lower Beater Shaft (over Grain Carrier), 1⅝x45½ in	3 50
Cylinder Shaft, turned, 1⅞x5 ft. 11 in	5 50
Cleaner Fan Shaft 1⅝x4 ft. 7 in	1 75
Cleaner Shoe Shaker Shaft, 1⅝x4 ft. 4 in	1 75
*Upper Grain Elevator Shaft, 1⅛x16 in	1 00
*Upper Return Elevator Shaft, 1⅛x17¾ in	1 00
Cleaner Shoe Shaft, 1 3/16x4 ft. 4 in	1 75
*Worm Gear Shaft, 1⅝x7 ft. 10 in	9 00
*Worm Gear Shaft, 1 3/16x18 in	1 60
*Bevel Gear Shaft in Yoke, 1 3/16x21½ in	2 25
*Pilot Wheel Shaft, 1⅝x11½ in	1 00

(1903 Senior Side-Hill Shafting is 4 inches longer except those marked *, which are the same in both Senior and Junior.)

HEADER SHAFTING.

Header Drum Shaft, 1 5/16x48 in	$3 25
Sickle Disc Shaft, 1 3/16x5 ft. 3 in	2 50
Counter Shifter Shaft, 1 3/16x18⅜ in	2 75
Reel Counter Shaft, 1 5/16x32½ in	3 00
Header Wheel Shaft, 1⅝x24 in	2 50
Header Hook Shaft, 1 5/16x16¼ in	2 00
Grain Wheel Pinion, 1⅝x20⅝ in	3 00

SHAFTING FOR SPECIAL HORSE-POWER MACHINES, 44 INCH SEPARATOR, 1900 MODEL.

Steer Wheel Shaft, 1⅝x29 in	$2 25
Main Header Drive Shaft, 1 5/16x6 ft. 5½ in	3 00
Cleaner Counter Shaft, 1⅝x34 in	1 25
Grain Wheel Shaft (20 in. Wheel), 2¼x36 in	4 50
Grain Wheel Pinion Shaft, 1⅝x20 in	4 50
Bull Wheel Shaft (22 in. Wheel), 2¼x36 in	5 00
Jack Wheel Shaft, 1⅝x28 in	3 25
Concave Hanger Rod, 1x50 in	1 00
Internal and External Gear Shaft, 1⅝x5 ft	6 00
Separator Shoe Shaft, 1⅝x56½ in	1 75
Upper Grain Carrier Shaft, 1⅝x64½ in	4 00
Lower Grain Carrier Shaft, 1⅛x44 in	1 75
Main Separator Fan Shaft, 1⅝x54 in	2 25
Spike Picker Shaft, 1⅝x52 in	1 50
Three-Corner Beater Shaft, 1⅝x49 in	2 00
Agitator Shaft, 1⅛x52 in	1 50
Straw Carrier Shaft, 1⅛x50 in	2 00
Feeder Shaft (Large), 1⅝x42 in	1 75

	Price
Feeder Shaft (Small), 1 1/16x36 in.	1 00
Cylinder Beater Shaft, 1 1/16x42 in.	1 50
Upper Beater Shaft (over Grain Carrier), 1 1/16x53 in.	3 50
Lower Beater Shaft (over Grain Carrier), 1 1/16x53 in.	3 50
Cylinder Shaft, 1 1/16x5 ft. 9 in.	5 50
Cleaner Fan Shaft, 1 1/16x5 ft. 10 in.	1 80
Cleaner Counter Gear Shaft, 1 1/16x8½ in.	75
Cleaner Cheat Shaker Shaft, 36 in. long	1 75
Cleaner Shoe Shaker Shaft, 1 1/16x19 in.	1 75
Upper Grain Elevator Shaft, 1 1/16x18 in.	1 00
Upper Return Elevator Shaft, 1 1/16x17 in.	1 00

HEADER SHAFTING.

Header Drum Shaft, 1 1/16x48 in.	$3 25
Sickle Disc Shaft, 1 1/16x5 ft. 3 in.	2 50
Counter Shifter Shaft, 1 1/16x18 3/16 in.	2 75
Header Wheel Shaft, 1 1/16x24 in.	2 50
Reel Counter Shaft, 1 1/16x32½ in.	3 00
Header Hook Shaft, 1 1/16x16¼ in.	2 00

SHAFTING FOR BABY JUNIOR SIDE HILL MACHINES, 30 INCH SEPARATOR, 1904-05, 6, 7, 8, 9, MODEL.

Steer Wheel Shaft, 1 1/16x24 7/8 in.	$ 2 25
Header Counter Shaft, 1 1/16x54 7/8 in.	3 00
Grain Wheel (16 in. Wheel) Shaft, 1 1/16x35½ in.	5 00
Grain Wheel (12 in. Wheel) Shaft, 1 1/16x31½ in.	5 00
*Grain Wheel Counter Shaft, 1 1/16x17 in.	2 75
Main Wheel (22 in. Wheel) Shaft, 2 7/16x53½ in.	5 25
Main Wheel (20 in. Wheel) Shaft, 2 7/16x51½ in.	5 00
Concave Hanger Rod, 1x41 3/8 in.	1 00
Internal Gear or Bull Pinion Shaft, 1 1/16x29¼ in.	4 75
Separator Shoe Shaft, 1 1/16x42½ in.	1 50
Upper Grain Carrier Shaft, 1 1/16x42 5/8 in.	3 00
Lower Grain Carrier Shaft, 1 1/16x37¼ in.	2 00
Grain Carrier Drive Shaft, 1 1/16x49 1/8 in.	1 50
Separator Fan Shaft, 1 1/16x40 in.	1 50
Three-Corner Beater Shaft, 1 1/16x37¾ in.	1 50
Agitator Shaft, 1 1/16x38 3/8 in.	1 50
Straw Carrier Shaft, 1 1/16x37½ in.	1 50
Long Feeder Shaft, 1 1/16x41 1/16 in.	1 00
Short Feeder Shaft, 1 1/16x37 in.	3 65
Upper Beater Shaft (over Grain Carrier), 1 3/16x7 ft 2 7/8 in.	1 50
Lower Beater Shaft (over Grain Carrier), 1 1/16x46¼ in.	5 50
Cylinder Shaft, 1¾ in., finished, 1 1/16x3 ft. 6 in.	

	Price
Cleaner Fan Shaft, $\frac{15}{16}$x41$\frac{5}{8}$ in.	1 25
Cleaner Shoe Shaft, $\frac{15}{16}$x43 in.	1 50
*Upper Grain Elevator Shaft, $\frac{11}{16}$x14$\frac{1}{4}$ in.	1 00
*Upper Return Elevator Shaft, $\frac{11}{16}$x14 in.	1 00
*Worm Gear Shaft (1905-06), 1$\frac{7}{16}$x7 ft. 5$\frac{3}{4}$ in.	8 50
Worm Gear Shaft (1904) 1$\frac{3}{16}$x7 ft. 2$\frac{1}{2}$ in.	8 00
Cylinder Counter Shaft (20 in. Wheel), 1$\frac{11}{16}$x37$\frac{7}{8}$ in.	3 40
Worm Pinion Shaft, 1$\frac{3}{16}$x58$\frac{7}{8}$ in.	2 80
*Pilot Wheel Shaft (1904), $\frac{15}{16}$x6 ft. 11$\frac{7}{16}$ in.	1 50
*Pilot Wheel Shaft (1905-06), $\frac{15}{16}$x6 ft. 7$\frac{7}{8}$ in.	1 50
Pilot Wheel Shaft (1907), $\frac{15}{16}$x15 in.	1 00
Cleaner Balance Weight Shaft, $\frac{15}{16}$x39 in.	1 25
Spike Picker Shaft, $\frac{15}{16}$x38 in.	1 25

(Junior Shafting is 6 inches longer except those marked *, which are the same in both Junior and Baby Junior. 1904-05 Junior and Baby Junior Header Shafting is the same.)

Sickle Disc Shaft, 1$\frac{3}{16}$x6 ft. 5$\frac{3}{4}$ in.	$ 2 50
Bevel Gear Shaft (Long), $\frac{15}{16}$x11$\frac{3}{4}$ in.	75
Bevel Gear Shaft (Short), $\frac{15}{16}$x10$\frac{1}{2}$ in.	75

SHAFTING FOR STEAM HARVESTERS, 54 INCH SEPARATOR.

Drag Shaft under Straw Carrier, $\frac{15}{16}$x7 ft. 5 in.	$ 4 25
Drag Shaft over Straw Carrier, $\frac{15}{16}$x4 ft. 11 in.	3 50
Beater Shaft over Lower Grain Carrier, $\frac{15}{16}$x5 ft. 1$\frac{1}{2}$ in.	2 75
Beater Shaft over Upper Grain Carrier, $\frac{15}{16}$x5 ft. 3 in.	2 00
Three-Corner Beater Shaft, $\frac{11}{16}$x4 ft. 11 in.	1 75
Spike Picker Shaft, $\frac{15}{16}$x4 ft. 11 in.	2 00
Straw Carrier Shaft, $\frac{15}{16}$x4 ft. 11 in.	2 25
Grain Carrier Shaft, 1$\frac{3}{16}$x5 ft. 6 in.	3 50
Feeder Shaft, $\frac{15}{16}$x5 ft. 2$\frac{3}{4}$ in.	2 25
Feeder Shaft, $\frac{11}{16}$x3 ft. 5$\frac{1}{2}$ in.	1 50
Cylinder Beater Shaft, $\frac{15}{16}$x4 ft. 1 in.	2 00
Main Fan Shaft, 1$\frac{3}{16}$x5 ft. 5$\frac{1}{2}$ in.	3 25
Small Fan Shaft, $\frac{15}{16}$x5 ft. 4 in.	1 75
Shaft for 804	1 00
Shoe Shaft, 1$\frac{3}{16}$x5 ft. 5$\frac{3}{4}$ in.	1 75
Shoe Counter Shaft, 1$\frac{3}{16}$x8 ft. 8$\frac{1}{2}$ in.	3 50
Cleaner Fan Shaft, $\frac{15}{16}$x5 ft. 11 in.	2 25
Cleaner Gear Shaft, $\frac{15}{16}$x8$\frac{1}{2}$ in.	1 00
Cleaner Shoe Shaker Shaft, $\frac{15}{16}$x18 in. (over both ends)	1 25
Cheat Shake Crank Shaft, $\frac{11}{16}$x3 ft. (turned on both ends)	2 25
Cleaner Counter Shaft, $\frac{15}{16}$x2 ft. 1$\frac{1}{2}$ in.	1 50
Upper Grain Elevator Shaft, $\frac{15}{16}$x21 in.	1 50
Lower Grain Elevator Shaft, $\frac{15}{16}$x20 in.	1 50
Upper Return Elevator Shaft, $\frac{11}{16}$x16$\frac{1}{2}$ in.	1 50
Lower Grain Elevator Shaft (short), $\frac{11}{16}$x20 in.	1 50

	Price
Upper Grain Elevator Shaft (short), 1 1/16x16½ in.	1 50
Main Wheel Shaft, 2 1/16x2 ft. 11½ in.	7 50
Grain Wheel Shaft, 2 1/16x3 ft. 2½ in.	8 00
Grain Wheel Pin Shaft, 1 1/16x18 in.	3 00
Concave Hanger (iron) Shaft, 1x5 ft.	1 00
Header Drive Shaft, 1 5/16x9 ft.	5 00
Header Draper Shaft, 1 1/16x4 ft. 11 in.	2 00
Header Roller Shaft, 1 1/16x4 ft. 5½ in.	1 75
Header Wheel Shaft, 1 1/16x3 ft. 1½ in.	3 00
Header Sickle Shaft, 1 3/16x6 ft. 1 in.	2 50
Header Counter Draper Shaft, 1 1/16x18 in.	1 75
Reel Counter Shaft, 1 3/16x2 ft. 10 in.	1 25

SHAFTING FOR "BETTY BEST" SIDE HILL MACHINE, 1909.

Front Wheel, 1 1/16x21 in.	$ 3 25
Header Counter, 1 3/16x25 in.	2 00
Grain Wheel	25 00
Main Wheel, 1 1/16x41 5/8 in.	5 00
Bull Pinion Shaft, 1 1/16x23¼ in.	3 75
Separator Shoe, 1 1/16x37 1/8 in.	1 25
Upper Grain Carrier, 1 5/16x39 1/16 in.	2 75
Lower Grain Carrier, 1 1/16x35 1/8 in.	2 00
Grain Carrier Counter, 1 5/16x42 3/8 in.	1 75
Separator Fan, 1 5/16x36¾ in.	1 50
Three-Corner Beater, 1 1/16x33¾ in.	1 25
Agitator, 1 1/16x34 3/8 in.	1 50
Straw Carrier, 1 1/16x35 5/8 in.	1 50
Long Feeder, 1 1/16x39 5/8 in.	1 50
Short Feeder, 1 1/16x23 in.	1 00
Upper Beater, 1 3/16x42 in.	3 00
Cylinder Shaft, 1 1/16x5 ft. 1 3/8 in.	5 50
Cleaner Fan, 1 1/16x40 1/8 in.	1 50
Cleaner Shoe, 1 1/16x40 1/8 in.	1 50
Cleaner Shoe, 1 1/16x38 5/8 in.	1 50
Cleaner Shoe Balance, 1 5/16x34½ in.	1 25
Upper Grain Elevator, 1 1/16x16½ in.	1 00
Upper Return Elevator, 1 1/16x12 5/8 in.	1 00
Pilot Wheel, 1 5/16x13 1/8 in.	1 00
Spider in Dog House, 1 5/16x10 in.	1 00
Picker Shaft, 1 1/16x33¾ in.	1 25
Extension Straw Carrier, long, 1 1/16x34 in.	1 25
Extension Straw Carrier, short, 1 1/16x31½ in.	1 25

"BETTY HEADER."

Sickle Disc, 1 3/16x51 in.	$ 2 50

	Price
Bevel Gear in 3-way box, long, $\frac{15}{16}$x11¾ in	1 00
Bevel Gear in 3-way box, short, $\frac{15}{16}$x10½ in	1 00
Main Header Drive, $1\frac{7}{16}$x3 ft. 4 in	2 75
Lower Header Counter, $1\frac{5}{16}$x25 in	1 00
Header Drum Shaft, $1\frac{5}{16}$x54¾ in	2 00
Header Wheel, $1\frac{11}{16}$x21 in	2 50
Long Shaft for Upper Draper in Spout, $\frac{15}{16}$x46 in	1 50
Short Shaft for Upper Draper in Spout, $\frac{15}{16}$x34 in	1 50

MISCELLANEOUS EXTRAS FOR BEST COMBINED HARVESTERS

Attachments, A 3 for No. 45 Chain	05
Attachments, A 3 for No. 52 Chain	05
Attachments, A 3 Hookless, for No. 55 Chain	05
Attachments, K 1 for No. 45 Chain	05
Attachments, 45 Special, No. 1 Scraper, 4 inch	15
Attachments, 45 Special, No. 32 Scraper, 5½inch	20
Attachments, 45 Special, No. 31 Scraper, 6½ inch	25
Auger, Separator Grain, Betty Best, S. H	7 50
Auger, Separator Grain, Baby Jr., S. H	8 00
Auger, Separator Grain, Junior, S. H	8 50
Auger, Separator Grain, Senior, S. H	9 00
Auger, Separator Grain, Standard	9 00
Auger, Separator Grain, Steam	10 00
Auger, Separator Return, Betty Best, S. H	7 50
Auger, Separator Return, Baby Jr., S. H	8 00
Auger, Separator Return, Junior, S. H	8 50
Auger, Separator Return, Senior, S. H	9 00
Auger, Separator Return, Standard, S. H	9 00
Auger, Separator Return, Steam	10 00
Auger, Cleaner Grain (same price as Separator Grain).	
Auger, Cleaner Return (same price as Separator Return).	
Auger Cleaner Cheat (same price as Separator Grain).	
Auger Flights, 5 inch, each	25
Auger Flights, 6 inch, each	25
Auger, Distributing, for Top of Cleaner, Steam Harvester	16 50
Auger, Separator Grain, Baby	6 00
Auger, Separator Grain, Betty	5 00
Auger, Separator Grain, Junior	6 50
Auger, Separator Grain, Senior	7 00
Axle, Grain Carrier Roller	50
Babbitt Metal, No. 1, per lb.—Write for Prices.	
Babbitt Metal, No. 2, per lb.—Write for Prices.	
Babbitt Metal, No. 3, per lb.—Write for Prices.	
Babbitt Metal, No. 4, per lb.—Write for Prices.	
Babbitt Metal, Special, per lb.—Write for Prices.	

	Price
Babbitt Metal, White Brass, per lb.—Write for Prices.	
Back Boards, 8 foot, each	1 75
Back Boards, 10 foot, each	1 75
Back Boards, 12 foot, each	2 00
Back Boards, 14 foot, each	2 00
Back Boards, 16 foot, each	2 50
Back Boards, 18 foot, each	2 50
Back Boards, 20 foot, each	2 75
Balls, Betty Leveling Screw	10
Bars, for 16 inch Cylinder, each	1 00
Bars, for 21 inch Cylinder, each	1 10
Bars, for 26 inch Cylinder, each	1 15
Bars, for 30 inch Cylinder, each	1 20
Bars, for 33 inch Cylinder, each	1 25
Bars, for 36 inch Cylinder, each	1 30
Bars, for 38 inch Cylinder, each	1 35
Beater, 2 Arm, Betty Best, S. H., without Shaft	3 50
Beater, 2 Arm, Baby Jr., S. H., without Shaft	3 75
Beater, 2 Arm, Junior, S. H., without Shaft	3 75
Beater, 2 Arm, Senior, S. H., without Shaft	4 00
Beater, 2 Arm, Standard, without Shaft	4 00
Beater, 2 Arm, Steam, without Shaft	4 50
Beater, 2 Arm, Betty Best, S. H., with Shaft	5 00
Beater, 2 Arm, Baby Jr., S. H., with Shaft	5 25
Beater, 2 Arm, Junior, S. H., with Shaft	5 25
Beater, 2 Arm, Senior, S. H., with Shaft	5 25
Beater, 2 Arm, Standard, with Shaft	5 50
Beater, 2 Arm, Steam, with Shaft	6 50
Beater, 3 Cornered, Betty Best, S. H., without Shaft	2 25
Beater, 3 Cornered, Baby Jr., S. H., without Shaft	2 50
Beater, 3 Cornered, Junior, S. H., without Shaft	3 00
Beater, 3 Cornered, Senior, S. H., without Shaft	3 50
Beater, 3 Cornered, Standard, without Shaft	3 50
Beater, 3 Cornered, Steam, without Shaft	4 75
Beater, 3 Cornered, Betty Best, S. H., with Shaft	3 25
Beater, 3 Cornered, Baby Jr., with Shaft	4 00
Beater, 3 Cornered, Junior, S. H., with Shaft	4 75
Beater, 3 Cornered, Senior, S. H., with Shaft	6 00
Beater, 3 Cornered, Standard, with Shaft	6 00
Beater, 3 Cornered, Steam, with Shaft	7 25
Beater, Lower, 4 Arm, Betty Best, S. H., without Shaft	8 00
Beater, Lower, 4 Arm, Baby Jr., S. H., without Shaft	8 00
Beater, Lower, 4 Arm, Junior, S. H., without Shaft	8 25
Beater, Lower, 4 Arm, Senior, S. H., without Shaft	8 50
Beater, Lower, 4 Arm, Standard, without Shaft	8 50
Beater, Lower, 4 Arm, Steam, without Shaft	9 50

	Price
Beater, Lower, 4 Arm, Betty Best, S. H., with Shaft	10 00
Beater, Lower, 4 Arm, Baby Jr., S. H., with Shaft	10 00
Beater, Lower, 4 Arm, Junior, S. H., with Shaft	10 50
Beater, Lower, 4 Arm, Senior, S. H., with Shaft	10 75
Beater, Lower, 4 Arm, Standard, with Shaft	10 75
Beater, Lower, 4 Arm, Steam, with Shaft	12 00
Beater, Upper, 4 Arm (same as Lower, without Shaft).	
Beater, Upper, 4 Arm, Betty Best, S. H., with Shaft	12 00
Beater, Upper, 4 Arm, Baby Jr., S. H., with Shaft	12 00
Beater, Upper, 4 Arm, Junior, S. H., with Shaft	12 50
Beater, Upper, 4 Arm, Senior, S. H., with Shaft	12 75
Beater, Upper, 4 Arm, Standard, with Shaft	12 75
Beater, Upper, 4 Arm, Steam, with Shaft	14 00
Beater, Round, Betty Best, S. H., without Shaft, with Teeth	6 50
Beater, Round, Betty Best, S. H., with Shaft and Teeth	7 50
Beater Blades, Betty Best Side Hill. Ironed Only, each	60
Beater Blades, Baby Jr., Side Hill, Ironed Only, each	60
Beater Blades, Junior Side Hill, Ironed Only, each	60
Beater Blades, Senior Side Hill, Ironed Only, each	70
Beater Blades, Standard, Ironed Only, each	70
Beater Blades, Steam, Ironed Only, each	80
Beater Blades, Betty Best, S. H., Spiked	1 00
Beater Blades, Baby Jr., S. H., Spiked	1 00
Beater Blades, Junior, S. H., Spiked	1 00
Beater Blades, Senior, S. H., Spiked	1 25
Beater Blades, Standard, Spiked	1 25
Beater Blades, Steam, Spiked	1 35

Belting, Leather, write for prices.

Belting, Rubber, write for prices.

REVISED PRICE LIST OF LINK BELTING

In Effect October 8, 1905

No.	Price per Foot	Links ½ per Foot	Working Strain	No.	Price per Links	Price per Foot	Working Strain
25	$0.11	13.30	75 lb	075	$0.30	5.80	850 lb
32	.11	10.40	150 lb	76	.31	5.20	625 lb
33	.11	8.60	200 lb	76½	.25	5.80	700 lb
34	.11	8.60	225 lb	77	.25	5.20	800 lb
35	.11	7.40	250 lb	78	.34	4.60	1,000 lb
36½	.15	8.00	250 lb	88	.43	4.60	1,200 lb
42	.12	8.75	300 lb	89	.52	4.60	1,300 lb
44	.12	8.10	325 lb	101	.58	4.50	1,600 lb
45	.11	7.40	350 lb	103	.67	4.00	1,800 lb
48	.13	6.00	375 lb	114	.85	3.66	2,000 lb
50	.16	8.80	350 lb	115	.94	3.70	2,050 lb
52	.18	8.00	500 lb	H H & K 1	1 00	3.70	2,050 lb
55	.16	7.40	450 lb	116½	1 05	3.70	2,100 lb
62	.22	7.25	650 lb	116¾	1.31	3.70	2,200 lb
66	.23	6.00	700 lb	117	1.01	3.70	2,150 lb
67	.23	5.20	700 lb	118	1 09	3.70	2,200 lb
72	.29	5.90	850 lb	130	1.56	3.30	2,300 lb
072	.35	7.25	900 lb	H H & K 2	1.56	3.30	2,300 lb
72½	.37	7.25	1,100 lb				

	Price
Belt Tightener, Horse Machines	10 00
Belt Tightener, Steam Machines	17 50
Blades, for Fan (Horse Machine)	25
Blades, for Fan (Steam Machine)	35
Blocks, Feeder Box	35
Blocks, Return, Angle Iron	25
Blocks, Return, Malleable, 4 inch	15
Blocks, Return, Malleable, 5½ inch	20
Blocks, Return, Malleable, 6½ inch	25
Bolts, Strap for Pitman	15
Box, Brass, for Separator, Shoe Pitman	2 00
Box, Brass, for Cleaner Shoe Pitman	2 00
Box, Hardwood, for Upper End of Spout	75
Box, Maple, for No. 666	50
Box, Maple, Separator Pitman	35
Brake, complete, for Lead Wheel	6 50
Brake, complete, for Main Wheel	15 00
Brake, complete, for Grain Wheel	12 00
Brake Band only, for Main Wheel or Grain Wheel, 3 inch	3 50
Brake Band only, for Main Wheel or Grain Wheel	3 50
Brake Lever	2 50

	Price
Brake Block for Lead Wheel	75
Buckets, Elevator, 5½ inch, Plain	15
Buckets, Elevator, 6 inch, Plain	20
Buckets, Elevator, 7½ inch, Plain	20
Buckets, Elevator, 9½ inch, Plain	25
Buckets, Elevator, 5½ inch, with Attachments	25
Buckets, 6 inch, with Attachments	25
Buckets, 7½ inch, with Attachments	35
Buckets, 9½ inch, with Attachments	40
Bushing, Brass, Lower End, Betty Leveling Screw	2 00
Bushing, Brass, Upper End, Betty Leveling Screw	2 00
Caps for Top Grain and Return Elevator (Sheet Iron)	25
Carriers, Grain, Betty Best, S. H	25 00
Carriers, Grain, Baby Jr., S. H	30 00
Carriers, Grain, Junior, S. H	35 00
Carriers, Grain, Senior, S. H	38 50
Carriers, Grain, Standard	40 00
Carriers, Grain, Steam	50 00
Carriers, Straw, Betty Best, S. H	10 00
Carriers, Straw, Baby Jr., S. H	11 00
Carriers, Straw, Junior, S. H	12 00
Carriers, Straw, Senior, S. H	13 00
Carriers, Straw, Standard	13 00
Carriers, Straw, Steam, Long	25 00
Carriers, Straw, Steam, Short	12 50
Carriers, Extension Straw Carriers, Betty Best, S. H	8 50
Carriers, Extension Straw Carriers, Baby Jr., S. H	9 50
Carriers, Extension Straw Carriers, Junior, S. H	10 50
Carriers, Extension Straw Carriers, Senior, S. H	11 50
Carriers, Extension Straw Carriers, Standard	11 50
Carriers, Extension Straw Carriers, Steam	12 50
Carrier, Top Draper in Header Spout	8 00
Carrier, Top Draper, complete	15 00
Carts, Straw Dump, complete	30 00
Canvas Dumps, complete	40 00
Cells, Grain Carrier, Horse Power	30
Cells, Grain Carrier, Steam	50
Chain, Jackson Feeder, per foot	30
Chain, Best Improved Feeder, per foot	35
Cleaners, Horse Power, complete, S. H	100 00
Cleaners, Horse Power, complete, Standard	110 00
Cleaners, Steam, complete	150 00
Cleaner Steel Springs	35
Cleaner Shoe Hanger Rod	50
Collars, No. 253 with set screws	50
Collar, Betty Leveling Screw	1 25
Cone, for end of Sickle Bar	1 50

	Price
Cups, Grease, No. 00 Empress, each	25
Cups, Grease, No. 0 Empress, each	35
Cups, Grease, No. 1 Empress, each	40
Cups, Grease, No. 2 Empress, each	55
Cups, Grease, No. 3 Empress, each	75
Cylinders, Betty Best, S. H	75 00
Cylinders, Baby Jr., S. H	65 00
Cylinders, Junior, S. H	70 00
Cylinders, Senior, S. H	75 00
Cylinders, Standard	75 00
Cylinder, Steam Separator, 36 inch	95 00
Cylinder, Steam Separator, 38 inch	100 00
Cylinder Tooth Straighteners	1 50
Cylinder Tooth Wrenches	2 50
Device for Raising and Lowering Header	15 00
Device Auto-Mechanical for Raising and Lowering Header, Betty Best	75 00
Doubletree, Wood only	3 50
Doubletree, Ironed	7 50

DRAPERS

10-foot San Leandro Special—2 two-inch belts	$29 25
12-foot San Leandro Special—2 two-inch belts	31 75
14-foot San Leandro Special—2 two-inch belts	35 00
8-foot Betty Best—2 two-inch belts	27 50
10-foot Betty Best—2 two-inch belts	29 25
12-foot Betty Best—2 two-inch belts	31 00
2-foot Extension—2 two-inch belts	3 00
4-foot Extension—2 two-inch belts	6 00
10-foot Extension—2 three-inch belts	24 25

1903 and Earlier Side-Hill Harvesters

	Two 1¾ inch Belts	Two 2 inch Belts	Two 2½ inch Belts
12 foot cut	$32 25	$33 75	$37 00
14 foot cut	35 25	36 50	40 50
16 foot cut	38 25	39 75	44 00
18 foot cut	41 00	42 75	47 00
20 foot cut	44 00	46 00	50 75

1904 and Later Side-Hill Harvesters

	Two 1¾ inch Belts	Two 2 inch Belts	Two 2½ inch Belts
8 foot cut	$22 00	$23 00	$25 00
10 foot cut	25 00	26 00	28 50
12 foot cut	30 25	31 75	35 00
14 foot cut	33 50	35 00	38 25
16 foot cut	36 50	39 00	42 75
18 foot cut	39 50	42 00	45 75
20 foot cut	42 75	45 00	49 25

Standard Level Land Harvesters

	Two 1¾ inch Belts	Two 2 inch Belts	Two 2½ inch Belts
14 foot cut	$36 25	$38 00	$41 75
16 foot cut	39 50	41 25	45 00
18 foot cut	42 00	44 25	48 50
20 foot cut	45 00	47 25	52 00

Steam Harvesters

	Two 2 inch Belts	Two 2½ inch Belts	Two 3 inch Belts
25 foot cut, One 20 inch Wheel	$68 00	$75 25	$82 50
25 foot cut, Two 20 inch Wheels	71 75	79 25	86 75
25 foot cut, One 24 inch Wheel	69 00	76 25	83 50
25 foot cut, Two 24 inch Wheels	73 75	81 50	89 25
25 foot cut, One 40 inch Wheel	71 75	79 25	86 75
35 foot cut, One 20 inch Wheel	87 00	96 25	105 50
35 foot cut, Two 20 inch Wheels	90 75	100 50	110 00
35 foot cut, One 24 inch Wheel	87 75	97 00	106 25
35 foot cut, Two 24-inch Wheels	92 75	102 75	112 25
35 foot cut, One 40 inch Wheel	90 75	100 50	110 00

	Price
Dump, Straw (Swing)	25 00
Dump, Straw Cart	30 00
Dump, Straw Cart, Steam	50 00

	Price
Dump, Canvas	40 00
Dump, Steam Canvas	60 00
Dump, Sack	7 50
Dump, Sack, Steam	25 00
Duck, write for prices	
End Grain Carrier Cell	10
Fan, complete, for Cleaner	6 00
Fan, complete, for Cleaner, Steam	7 00
Feather and Shaft for Header Shifter Sprocket	2 50
Feeder in Top of Header Spout	8 00
Feeder, Jackson, Betty Best	7 50
Grain Carrier for San Leandro Special	27 50
Jackson Feeder for San Leandro Special	8 00
Feeder, Jackson, Baby Junior	8 00
Feeder, Jackson, Junior	8 00
Feeder, Jackson, Senior	8 50
Feeder, Jackson, Standard	8 50
Feeder, Jackson, Steam	12 00
Feeder, Chain (Old Style)	9 10
Feeder Roller	1 00
Fenders, sand, for Drive Wheels on all machines, each	2 00
Finger Irons, for new style Stud Bar, each	1 50
Flights for Augurs, wrought steel, each	25
Governor, Wind (Sheet Iron)	2 50
Grousers, "V" shape	1 50
Grousers for 12 inch Wheel, each	95
Grousers for 14 inch Wheel, each	1 00
Grousers for 16 inch Wheel, each	1 05
Grousers for 18 inch Wheel, each	1 15
Grousers for 20 inch Wheel, each	1 25
Grousers for 22 inch Wheel, each	1 35
Grousers for 24 inch Wheel, each	1 45
Grousers, extension, for 12 inch Wheel, each	40
Grousers, extension, for 14 inch Wheel, each	40
Grousers, extension, for 16 inch Wheel, each	45
Grousers, extension, for 18 inch Wheel, each	55
Grousers, extension, for 20 inch Wheel, each	65
Grousers, extension, for 22 inch Wheel, each	75
Grousers, extension, for 24 inch Wheel, each	85
Header, complete, 12 foot	165 00
Header, complete, 14 foot	185 00
Header, complete, 16 foot	205 00
Header, complete, 18 foot	225 00
Header, complete, 20 foot	245 00
Header, complete, 25 foot, Steam	350 00
Header Extension, complete, 2 foot	45 00
Header Extension, complete, 4 foot	65 00

	Price
Header Extension, complete, 6 foot	85 00
Header Extension, complete, 10 foot, Steam	200 00
Header, Breast, Steel, complete, per foot	2 00
Header Breast, wood covered with steel, complete with guards, per foot	1 50
Header Drum	8 00
Header Spring, front	60
Header Spring, back	50
Header Pitman (wood part only)	75
Header Pitman Pin for No. 33 Casting	1 00
Header Draper Roller, lower end	3 50
Header Spout	15 00
Header Truck for Moving Header	25 00
Header Truck Axle	2 50
Header Truck Wheel	5 50
Header Guards, No. 0, 4 on plate	50
Header Guards, No. 1, single	16
Header Guards, No. 2, 4 on plate	50
Header Guards, No. 3, 4 on plate	50
Header Guards, No. 5, single	25
Header Guards, No. 6, Baby Junior and Junior, single	16
Hinges, Header Spout, each	60
Iron, Safety Angle, Senior, Junior and Baby	15 00
Irons, Safety (Old Style)	1 50
Iron Sheet, per pound	06
Jacob Staff for raising and lowering Header, Jr. and B. Jr. Side-Hill Machines	5 00
Jacob Staff for raising and lowering Header, Standard Side-Hill Machines	5 25
Key, Betty Leveling Screw	50
Key for Cylinder Clutch, No. 18	50
Key, feather (long)	75
Key, feather (short)	50
Knuckle Block	25
Lagging Leather, Sides, per pound	75
Lace Learther, per square foot	40
Lace Leather, cut ¼ inch, per 100 feet	1 00
Lace Leather, cut $\frac{5}{16}$ inch, per 100 feet	1 20
Lace Leather, cut ⅜ inch, per 100 feet	1 40
Lace Leather, cut $\frac{7}{16}$ inch, per 100 feet	1 60
Lace Leather, cut ½ inch, per 100 feet	1 80
Lace Leather, cut ⅝ inch, per 100 feet	2 40
Lock for Side-Hill Attachment	7 50
Lock for Worm Gear Shaft	25
Nails, Clout, per pound	15
Nails, Barbed wire, per pound	15
Oil, West Virginia Black—Write for Prices	
Oil, Castor, Machine—Write for Prices	

	Price
Oil, Engine—Write for Prices	
Oil, Cylinder—Write for Prices	
Pickers, wood, round, with steel teeth, without shaft, each	6 00
Pilot Wheel	2 25
Pin, No. 645	50
Pin, Wrist, No. 720	1 00
Pitman, wood, complete, for Header	2 25
Pitman, wood, complete, for Separator Shoe	1 75
Pitman, wood, complete, for Agitator	1 25
Pitman, iron, complete, for Cleaner	2 50
Pitman, wood only	75
Plates, Draper Spring, 4x10	50
Platform, Draper Extension, 4 foot x 40 inch, each	2 25
Platform, Draper Extension, 5 foot x 40 inch, each	2 75
Platform, Draper Extension, 4 foot x 44 inch, each	2 50
Platform, Draper Extension, 5 foot x 44 inch, each	3 00
Platform, Draper, 10 foot x 40 inch, each	5 00
Platform, Draper, 12 foot x 40 inch, each	5 25
Platform, Draper, 14 foot x 40 inch, each	5 50
Platform, Draper, 16 foot x 40 inch, each	5 75
Platform, Draper, 18 foot x 40 inch, each	6 00
Platform, Draper, 20 foot x 40 inch, each	6 75
Platform, Draper, 12 foot x 44 inch, each	5 50
Platform, Draper, 14 foot x 44 inch, each	5 75
Platform, Draper, 16 foot x 44 inch, each	6 00
Platform, Draper, 18 foot x 44 inch, each	6 25
Platform, Draper, 20 foot x 44 inch, each	6 50
Platform, Draper, 10 foot x 48 inch, each	6 00
Platform, Draper, 24 foot x 48 inch, each	10 00
Platform, Jackson Feeder, Side-Hill, each	5 00
Platform, Jackson Feeder, Standard, each	6 00
Platform, Jackson Feeder, Steam, each	7 00
Platform, Straw Carrier, each	1 50
Rack for raising and lowering Side-Hill Machines, complete	9 00
Reel, complete, 12 foot	24 00
Reel, complete, 14 foot	25 00
Reel, complete, 16 foot	26 50
Reel, complete, 18 foot	28 50
Reel, complete, 20 foot	32 00
Reel, complete, 25 foot	40 00
Reel, Spokes, each	15
Reel, Spokes, N. S. Steam, each	25
Reel Slats, 8 foot, each	25
Reel Slats, 10 foot, each	30
Reel Slats, 12 foot, each	30
Reel Slats, 14 foot, each	35

	Price
Reel Slats, 16 foot, each	40
Reel Slats, 18 foot, each	45
Reel Slats, 20 foot, each	50
Reel Slats, 25 foot, each	65
Reel Rods, 12 foot, each	1 00
Reel Rods, 14 foot, each	1 00
Reel Rods, 16 foot, each	1 00
Reel, Rods, 18 foot, each	1 50
Reel Rods, 20 foot, each	1 50
Reel Rods, 25 foot, each	1 50
Reel Shaft, 4 foot, each (Pipe)	1 00
Reel Shaft, 8 foot, each (pipe)	2 00
Reel Shaft, 10 foot, each (pipe)	2 50
Reel Shaft, 12 foot, each (pipe)	3 00
Reel Shaft, 14 foot, each (pipe)	3 25
Reel Shaft, 16 foot, each (pipe)	3 50
Reel Shaft, 18 foot, each (pipe)	3 75
Reel Shaft, 20 foot, each (pipe)	4 00
Reel Shaft, 25 foot, each (pipe)	4 50
Reel Shaft, Extension, 2 foot, each	1 00
Reel Shaft, Extension, 4 foot, each	1 00
Reel Shaft, Extension, 10 foot, each	2 50
Reel Spider, 8 spokes, complete	5 75
Reel Spider, 12 spokes, complete	6 55
Return Elevator Blocks, Angle Iron	25
Return Elevator Blocks, Malleable Iron, 4 inch	15
Return Elevator Blocks, Malleable Iron, 5½ inch	20
Return Elevator Blocks, Malleable Iron, 6½ inch	25
Riddles (set of 6), Wheat, for Cleaner, Steam	8 50
Riddles (set of 4), Barley, for Cleaner, Steam	8 00
Riddles (set of 6), Wheat, for Cleaner, Standard horse-power machine	7 50
Riddles (set of 4), Barley for Cleaner, Standard horse-power machine	6 00
Riddles (set of 3), Wheat, for Cleaner, Junior Side-Hill machine	5 25
Riddles (set of 3), Barley, for Cleaner, Junior Side Hill machine	5 25
Riddles (set of 3), Wheat, for Cleaner, Baby Junior Side-Hill machines	5 00
Riddles (set of 3), Barley, for Cleaner, Baby Junior Side-Hill machine	5 00
Riddle—Wheat for 1912 San Leandro Special Upper Screen—Zinc, 7/8 rd. holes Middle Screen—Wire, 3/8 mesh Lower Screen—Zinc, 1/4 rd. holes	10 00

	Price
Riddle—Barley for 1912 San Leandro Special	
Upper Screen—1-inch mesh	
Lower Screen—¾-inch Mesh	5 00
Riddles (set of 3), Wheat, for Cleaner, Betty Best	5 00
Riddles (set of 3), Barley, for Cleaner, Betty Best	5 00
Rivets, Boiler, per pound	08
Rivets, Copper, per pound	50
Rivets, Coppered Iron, per pound	25
Rivets, Elevator, Cup and Burrs, per pound	25
Rivets, Guard	25
Rivets, Jackson Feeder and Burrs	25
Rivets, Section	25
Rollers, Draper (Pierson Patent)	7 50
Roller, Wood, for 78½ Chain, 3¾x4½	60
Rollers, Wood, 1x4, for Grain Carrier, each	35
Rollers, Wood, 1½x5, for Grain Carrier, each	50
Rollers, Wood, 2½x3½, for Draper, each	50
Rollers, Wood, 3x4, for Draper, each	50
Rollers, Wood, 1¼x3½	35
Rollers, Wood, 2x6	50
Rollers, Wood, 4x6	60
Roller Tightener (Iron)	65
Sack Box for Cleaner	5 00
Sack Dump Platform	2 50
Sack Dump Spring	1 00
Sack Hooks, complete, each, N. S	5 00
Sack Hooks, complete, each, O. S	2 50
Sack Sewer's Stool	1 25
Screen, Wheat, per square foot	12½
Screen, Barley, per square foot	12½
Screen, Cheat, per square foot	15
Screen, Perforated, per square foot	75
Screen, wire and Frame for Separator, Wheat or Barley, 44 inch	4 50
Screen, wire and Frame for Separator, Wheat or Barley, 48 inch	4 75
Screen, wire and Frame for Separator, Wheat or Barley, 54 inch	5 00
Screen, Wire and Frame, for Standard Side-Hill and Level-Land machines	4 00
Screen, Wire, and Frame, for Junior Side-Hill machine	3 75
Screen, wire, and Frame, for Baby Junior Side-Hill machine	3 50
Screen, Wire, and Frame, for Betty Best	3 50
Screen, Lip, 48 inch, on Frame	8 00
Screen, Lip, 54 inch, on Frame	9 00

	Price
Screen, Lip, for Standard Side-Hill and Level-Land machines	7 00
Screen, Lip, for Junior Side-Hill machines	6 00
Screen, Lip, for Baby Junior Side-Hill machines	5 50
Shoe Comb	1 25
Screen, perforated round holes, for Cleaner, per square foot	75
Screen for Straw Dump, all machines	2 50
Screw, Betty Tipping Device, 1909 Model	10 00
Screw, Betty Tipping Device, 1910 Model	10 00
Screw, Betty Tipping Device, 1911 Model	10 00
Screen, Frame only, Junior, Baby and Betty	1 50
Screen, Frame only, Senior	1 75
Screen, Header Back, complete, 2 foot extension	12 00
Screen, Header Back, complete, 4 foot extension	15 00
Screw, Leveling, complete, for 1910 Betty	61 20
Set Screws, Assorted, per dozen	40
Shifter Connection, wrought iron	50
Shoe Frame for Separator, Junior Side-Hill machine	7 00
Shoe Frame for Separator, Baby Junior Side-Hill machine	6 00
Shoe Frame for Separator, Standard Side-Hill and Level-Land machines	8 00
Shoe Frame only, for top of Cleaner, Standard Side-Hill and Level-Land machines	4 50
Shoe Frame only, for top of Cleaner, Junior Side-Hill machine	4 00
Shoe Frame only, for top of Cleaner, Baby Junior machine	3 50
Shoe Frame only, bottom of Cleaner, Standard Side-Hill and Level-Land machines	3 50
Shoe Frame only, bottom of Cleaner, Junior Side-Hill machine	3 00
Shoe Frame only, bottom of Cleaner, Baby Junior Side-Hill machine	2 50
Shoe Frame only for Separator, Steam	8 00
Shoe Frame only for Top of Cleaner, Steam	5 00
Shoe Frame only for Bottom of Cleaner, Steam	3 50
Shoe Frame Hangers, wrought iron, each	50
Shoe Shake Box, wood, with bolt	50
Shoe, Steam Separator (complete)	10 00
Shutters for Wind Blast Governor on Separator, each	25
Shims for Lead Wheel	25
Sickles, per foot	75
Sickle Sections, per dozen	75
Sickle Heads, wrought steel, forged, each	4 50
Spokes for Main and Grain Wheels, each	75
Spokes for Lead Wheel, each	35

	Price
Spokes, Cleaner Fan, each	15
Spokes, Front Wheel, each	35
Spokes, Header Raising, each	25
Spokes, Header Wheel, each	40
Spokes, Separator Fan, each	10
Spokes, Reel, Pine, each	10
Spokes, Reel, Hardwood, each	15
Spools, Draper, Wood, each	20
Spools, Draper, Iron, each	50
Spring, Front, for Header Draper, each	60
Spring, Back, for Header Draper, each	50
Spring (brass) for Safety Lever Side-Hill machine	25
Springs, Clutch	25
Spider for Feeder House, complete, box and spool	5 00
Sticks, Draper, 40 inch, each	05
Sticks, Draper, 44 inch, each	06
Sticks, Draper, 48 inch, each	07
Sticks, Jackson Feeder, up to 24 inch, each	10
Sticks, Jackson Feeder, over 24 inch, each	12½
Sticks, Straw Carrier, Round, each	08
Sticks, Straw Carrier, Square, each	10
Sticks, Straw Carrier, Steam Harvester, each	12
Sticks, Grain Carrier, each	15
Sticks, Grain Carrier, Steam, each	25
Sticks, Grain Carrier, 37¾ inch long, 1 inch piece on side for 1903 Senior Side-Hill and Standard machines	25
Sticks, Grain Carrier, 33⅞ inches long, for 1903 Junior Side-Hill machine	15
Sticks, Grain Carrier, 35⅝ inches long, for 1904-05 Junior Side-Hill machine	15
Sticks, Grain Carrier, 29⅞ inches long, for 1904-05 Baby Junior Side-Hill machine	15
Sticks, Straw Carrier, 43¾ inches long, for 1903-04, 44 inch Standard Side-Hill and Level-Land machines	12
Sticks, Straw Carrier, 39¾ inches long, for 1903 Standard Side-Hill and Level-Land machines	08
Sticks, Straw Carrier, 35¾ inches long, for 1903-04-05 Junior Side-Hill machines	09
Sticks, Straw Carrier, 29¾ inches long, for 1903-04-05 Baby Junior Side-Hill machines	08
Stub End for Iron Draper Roller	25
Teeth, Cylinder and Concave, each	15
Tightener, Header Spring	2 00
Tightener, Spring Chain	1 50
Washer, Sickle Disc Pin	05
Weight, Betty Cleaner, Small	1 25

	Price
Weight, Betty Cleaner, Large	3 75
Weight, Cleaner Balance, Large, Senior, Junior and Baby	5 00
Weight, Cleaner Balance, Small, Senior, Junior and Baby	1 75
Weight, Header Balance, Large	21 00
Weight, Header Balance, Small	16 00
Weight, Steam Belt Tightener	2 75
Wheel, Main Drive, 16 inch tire, all complete, with gear segments	130 00
Wheel, Main Drive, 18 inch tire, all complete, with gear segments	140 00
Wheel, Grain, 18 inch tire, all complete, with gear segments	125 00
Wheel, Header (outside), 8 inch tire	15 60
Wheel, Header (outside), 10 inch tire	19 50
Wheel, Header (outside), 22 inch tire	40 00
Wheel, Lead	25 00
Wheel, Main Drive, 20 inch tire, all complete, with gear segments	145 00
Wheel, Main Drive, 22 inch tire, all complete, with gear segments	155 00
Wheel, Main Drive, 24 inch tire, all complete, with gear segments	160 00
Wheel, Grain, 12 inch tire, all complete, with gear segments	110 00
Wheel, Grain, 14 inch tire, all complete, with gear segments	115 00
Wheel, Grain, 16 inch tire, all complete, with gear segments	120 00
Wood Box for end of Spout	50
Wrench, wrought steel socket	1 50

AUXILIARY ENGINES.

Brasses for Connecting Rod, old style, piston end, per set	$5 00
Brasses, Cross-head, Shoe, each	4 00
Brasses for Wrist Pin, old style, per set	8 00
Brasses for Wrist Pin, new style, per set	10 50
Brasses, Cross-head Pin, per set	5 00
Cocks, Cylinder Pet, each	1 00
Connecting Rod	22 00
Crank Shaft	40 00
Cylinder Head	4 50
Eccentric	5 00
Eccentric Strap	5 00
Eccentric Strap Rod	2 50

	Price
Engine, 7x7 inch	400 00
Engine, 8½x7 inch	450 00
Fly Wheel	35 00
Gib Key on Valve Stem	1 25
Governor, 1½ inch Pickering, complete	30 00
Jaw Connection for Valve Stem, No. 114	2 50
Key for Cross-head	2 00
Lubricator, 1 pint	15 00
Pin for Cross-head	5 00
Piston and Stem, complete	20 00
Piston Stem, only	2 50
Pulley for Governor, No. 380	3 50
Rings, Piston, each	2 50
Rings, Valve, each	2 00
Strap for Wrist Pin Brasses	2 50
Throttle, 1½ inch (Powell Brass Valve)	5 50
Valve Rod, complete	6 50
Valve Stem, only	1 50

PERFORATED ZINC SCREENS.

Width in inches	Length in Inches	Size of Hole	Price
18	23	½	$ 2 00
18	27	½	2 50
18	33	½	3 00
18	37	½	3 50
30	44	½	6 25
18	23	⅜ & ¼	2 00
18	27	⅜ & ¼	2 50
18	33	⅜ & ¼	3 00
18	37	⅜ & ¼	3 50
18	23	⅝ & ⅜	2 00
18	27	⅝ & ⅜	2 50
18	33	⅝ & ⅜	3 00
18	37	⅝ & ⅜	3 50
30	44	⅝ & ⅜	6 25
30	54	⅝ & ⅜	7 75
20	26	50 wire	2 50
30	30	50 wire	4 25
30	36	50 wire	5 25
30	40	50 wire	5 75
20	26	1-18 x 11/18	2 50
30	30	1-18 x 11/18	4 25
30	36	1-18 x 11/18	5 25
30	40	1-18 x 11/18	5 75
30	46	1-12 x ⅝	6 75
30	56	1-12 x ⅝	8 25
26	52	¾ x 1	6 50
30	52	¾ x 1	7 50
36	52	¾ x 1	9 00
40	52	¾ x 1	10 25
54	72	¾ x 1	19 00
26	52	1 x 1¼	6 50
30	52	1 x 1¼	7 50
36	52	1 x 1¼	9 00
40	52	1 x 1¼	10 25
54	72	1 x 1¼	19 00

KELLEY-DAVIS COMPANY
PRINTERS & BOOK BINDERS
OAKLAND, CAL.